



CABLE CARE VOL.1



HAMER

CABLE
CARE VOL.1

Delivering Certainty
hamer.co.nz

VERSION 1.00

Hamer is a 100% New Zealand family-owned business that has proudly supported other New Zealand businesses since 1938.

The philosophy at Hamer is simple: deliver the best quality electrical tools from around the world to the New Zealand market.

We import quality tools, power engineering and electrical products from around the world. Our products are found behind the scenes in power distribution networks, factories, commercial properties and anywhere humans control their environments – from water management in agriculture to air quality in the work space.

Hamer promises to 'Deliver Certainty' to the electrical industry, and we believe our quality products add an element of safety to every aspect of electrical activity in New Zealand. Whether it be the tools used in installation and maintenance or electrical components that energise and protect equipment, Hamer only distributes and supports quality products.



Delivering Certainty



DYMO simplifies your tasks while ensuring a professional finish. The DYMO company has grown since they started in 1958 - they now have a premium range of XTL & Rhino industrial portable labelling machines & tapes, embossing labellers and computer-connected printing products for all electrical applications. Diverse functionality is a key aspect of these products, including labelling for: patch panels, terminal and 110 blocks, wire and cable flags, horizontal and vertical wraps, vertical bar coding, thermal printing onto heat shrink, and much more.



Teaflex is an Italian manufacturer of flexible conduits and fittings for industrial cable protection used on electrical installations, both industrial and civil. Wherever energy is present, Teaflex products protect your wires and cables. Teaflex, Italian manufacturers of quality products since 1972.



Sharpie stands for far more than just markers. Made to write on, stand out on, and stay on practically any surface, it's THE permanent marker born for unique, unruly, courageous, outrageous self-expression that never, ever fades. Sharpie is THE BOLD ORIGINAL, genuine article, and cultural icon of permanent markers since 1964.



Polyslab® is Australia's trusted AC equipment base product of choice. Made in Australia from recycled materials, Polyslab® bases support all split system outdoor air conditioning units and are eco-friendly, UV resistant, impact resistant and ultra-lightweight. With a strong support network and literally millions of usage applications across Australia, New Zealand and the USA, the choice to use Polyslab® is an educated and well-respected decision as it alleviates issues associated with Workplace Health and Safety due to its lightweight, user friendly properties.



HellermannTyton is a leading manufacturer and supplier of products for fastening, fixing, installing, connecting, insulating, protecting and identifying electrical cables and data network infrastructure solutions. Located in 37 countries, HellermannTyton is trusted by industry professionals around the world. The focus of HellermannTyton products is quality and flexibility to handle all of your cable management needs.




Pemsa Rejiband® wire mesh systems are quality made and reliable solution-based products for quick and easy installs. Pemsa is a Spanish company represented in over 50 countries, designed and tested to international standards. Being an accredited ISO 9001 manufacturer with the N Mark from AENOR, which as an independent body tests and evaluates all the technical characteristics of the Pemsa products to guarantee the performance which their products offer.



Evolve Group is a Brisbane based, privately owned and award-winning collective. Makers of the Polybender® product that has been designed to offer the HVAC installer fast, easy and quality kink-free bends, the tool has been specifically engineered for use as an internal copper tube bender and can handle intense, repetitive stress due to sharp bends with no negative impact on the tools physical properties.



Spikefree® is a name synonymous with the New Zealand power protection industry for plug boxes with surge & protection. Its product range meets or exceeds the requirements of many applications. Built-in surge protection safeguards expensive equipment from power surges and spike protection from electrical storms.



DYMO Rhino™ Industrial Labelling 4

DYMO XTL™ Industrial Labelling 14

DYMO Home or Office 27

Sharpie® Permanent Marker 29

Cable Ties 30

Cable Mounts and Clips 35

Electrical Tape 36

Spikefree® Plugbox 37

HVAC Equipment Polyslab® 38

HVAC Equipment Polybender® 39

Pemsa Cable Trays 40

Pemsa Accessories 41

Teaflex LPU Metal & Jacket Conduit .. 47

Teaflex LPU Conduit Fittings 48

Teaflex ECO Flexible Nylon Conduit ... 50

Teaflex ECO Jaw-Fit Fittings 52

Teaflex ECO Mounting Clamp Fittings 54

Teaflex PVC Spiral Conduit 55

Teaflex PVC Fittings 57

DYMO Rhino™ - Industrial Labeller - M1011 Metal Tape Embosser

- DYMO Rhino™ M1011 industrial metal tape embosser creates lasting labels for the industrial environment.
- Made of cast-metal.
- Features a front scissor cut-off and a built-in hole-punching device.
- Imprints 12 mm wide metal tapes that withstand chemicals, extreme weather conditions, very high and low temperatures, salty water and abrasion.
- Comes in a hard carry case.
- No batteries required.



DYM1011

HAMER CODE	BRAND	CAT. CODE	TYPE	TAPE SIZE RANGE	TAPE TYPES	FEATURES
DYM1011	DYMO Rhino™	M1011	Industrial metal tape embosser	12mm	Non-adhesive aluminium & stainless steel	Hole punch & hard carry case

DYMO Rhino™ - Industrial Labels - Metal Embossing Tape

- DYMO Rhino™ metal embosser tapes - non-adhesive.
- For heavy-duty, extreme-condition labelling.
- Compatible with DYMO Rhino™ M1011 embosser kit only.
- Stainless steel labels have excellent resistance to chemicals, extreme weather conditions, high and low temperatures and abrasion.
- Ideal for marking pipelines, underground cables, engine parts, building materials and more.



DY301241

HAMER CODE	BRAND	CAT. CODE	MATERIAL	TAPE WIDTH	TAPE LENGTH
DY301241	DYMO Rhino™	SD301241	Non-adhesive aluminium	12mm	4.8m
DY301242	DYMO Rhino™	SD301242	Non-adhesive stainless steel	12mm	6.4m

DYMO Rhino™ - Industrial Labeller - 4200

- DYMO Rhino™ 4200 industrial portable labeller gets labelling jobs done fast – and done right.
- QWERTY keyboard for fast and easy text entry.
- Large, easy to read LCD display with high contrast backlight.
- Touch formatting functionality includes: general & fixed, wire/cable flag, module/ breaker, text rotate/ text align.
- Personalised “Favourites” key + save up to 25 custom labels.
- Durable moulded rubber bumper.
- Batteries: 6 x AA batteries (not included).
- Optional accessories: DY1759398 Li-ion battery pack and DY4290758 230V mains charger.



DY4200

HAMER CODE	BRAND	CAT. CODE	TYPE	TAPE SIZE RANGE	TAPE TYPES	FEATURES
DY4200	DYMO Rhino™	4200	Industrial portable labeller	6, 9, 12, 19mm	Industrial adhesive: nylon, polyester, vinyl + heat shrink	QWERTY keyboard

DYMO Rhino™ - Industrial Labeller - 5200K

- DYMO Rhino™ 5200K industrial portable labeller in hard case kit gets labelling jobs done fast – and done right.
- Rugged, versatile and packed with time-saving features.
- Large, two-line LCD display with backlight.
- Pre-programmed hot keys for faster labelling.
- Pre-programmed symbol library.
- Save more than 100 customised labels for on-demand printing at the job site.
- Slip-resistant integrated rubber bumper.
- Complete kit in hard carry case includes: lithium-ion battery pack, 230V mains charger, user manual on CD-ROM, quick reference guide, 1 x 19mm white flexible nylon & 1 x 12mm white vinyl industrial adhesive tapes.
- Can also be used with 6 x AA batteries if needed.



DY5200K

HAMER CODE	BRAND	CAT. CODE	TYPE	TAPE SIZE RANGE	TAPE TYPES	FEATURES
DY5200K	DYMO Rhino™	5200K	Industrial portable labeller	6, 9, 12, 19mm	Industrial adhesive: nylon, polyester, vinyl + heat shrink	Kit set with hard case, charger and Li-ion battery

DYMO Rhino™ - Industrial Labels - Flexible Nylon

- DYMO Rhino™ flexible nylon industrial adhesive labels conform and stick tightly to wires, cables, curved and textured surfaces.
- Thermal transfer printing technology – label text won't smudge, smear or fade.
- Industrial-strength adhesive resists moisture, extreme temperatures, UV light and more, so labels won't curl or fall off.
- Tear-proof material resists damage when pulled through tight spaces or conduits.
- Easy-to-peel split back design makes applying labels quick and easy.
- Use with DYMO Rhino™ industrial labeller: DY4200 and DY5200K.

Best for:



HAMER CODE	BRAND	CAT. CODE	MATERIAL	TEXT COLOUR	TAPE COLOUR	TAPE WIDTH	TAPE LENGTH
DY18488	DYMO Rhino™	18488	Flexible nylon	Black	White	12mm	3.5m
DY18489	DYMO Rhino™	18489	Flexible nylon	Black	White	19mm	3.5m
DY18490	DYMO Rhino™	18490	Flexible nylon	Black	Yellow	12mm	3.5m
DY18491	DYMO Rhino™	18491	Flexible nylon	Black	Yellow	19mm	3.5m



DY18488



DY18490

DYMO Rhino™ - Industrial Labels - Permanent Polyester

- DYMO Rhino™ permanent polyester industrial adhesive labels have a polished finish that leaves your work looking professional.
- Thermal transfer printing technology – label text won't smudge, smear or fade.
- Industrial-strength adhesive resists moisture, extreme temperatures, UV light and more, so labels won't curl or fall off.
- For labelling panels, blocks, faceplates, shelves, bins, beams and more.
- Available in smaller widths that fit most patch panels, blocks and other distribution panels.
- Easy-to-peel split back design makes applying labels quick and easy.
- Use with DYMO Rhino™ industrial labeller: DY4200 and DY5200K.

Best for:



DY18484



DY622290

HAMER CODE	BRAND	CAT. CODE	MATERIAL	TEXT COLOUR	TAPE COLOUR	TAPE WIDTH	TAPE LENGTH
DY1805442	DYMO Rhino™	1805442	Permanent polyester	Black	White	6mm	5.5m
DY18482	DYMO Rhino™	18482	Permanent polyester	Black	White	9mm	5.5m
DY18483	DYMO Rhino™	18483	Permanent polyester	Black	White	12mm	5.5m
DY18484	DYMO Rhino™	18484	Permanent polyester	Black	White	19mm	5.5m
DY1805440	DYMO Rhino™	1805440	Permanent polyester	Black	Clear	6mm	5.5m
DY622289	DYMO Rhino™	622289	Permanent polyester	Black	Clear	12mm	5.5m
DY622290	DYMO Rhino™	622290	Permanent polyester	Black	Clear	19mm	5.5m
DY18485	DYMO Rhino™	18485	Permanent polyester	Black	Metallic	9mm	5.5m
DY18486	DYMO Rhino™	18486	Permanent polyester	Black	Metallic	12mm	5.5m
DY18487	DYMO Rhino™	18487	Permanent polyester	Black	Metallic	19mm	5.5m

DYMO Rhino™ - Industrial Labels - Vinyl

- DYMO Rhino™ vinyl industrial adhesive labels for general labelling or extreme conditions.
- Thermal transfer printing technology – label text won't smudge, smear or fade.
- Industrial-strength adhesive resists moisture, extreme temperatures, UV light and more, so labels won't curl or fall off.
- Vinyl labels offer moisture, chemical and UV resistance, making them ideal for labelling both indoors and outdoors.
- Easy-to-peel split back design makes applying labels quick and easy.
- Use with DYMO Rhino™ industrial labeller: DY4200 and DY5200K.

Best for:



HAMER CODE	BRAND	CAT. CODE	MATERIAL	TEXT COLOUR	TAPE COLOUR	TAPE WIDTH	TAPE LENGTH
DY18443	DYMO Rhino™	18443	Vinyl	Black	White	9mm	5.5m
DY18444	DYMO Rhino™	18444	Vinyl	Black	White	12mm	5.5m
DY18445	DYMO Rhino™	18445	Vinyl	Black	White	19mm	5.5m
DY1805437	DYMO Rhino™	1805437	Vinyl	Black	Black	9mm	5.5m
DY1805435	DYMO Rhino™	1805435	Vinyl	Black	Black	12mm	5.5m
DY1805436	DYMO Rhino™	1805436	Vinyl	Black	Black	19mm	5.5m



DY18444



DY1805435

DYMO Rhino™ - Industrial Labels - Heat Shrink Tube

- DYMO Rhino™ industrial heat shrink tube offers the convenience of printing directly on the tubing itself for high-end cable identification.
- Thermal transfer printing technology – label text won't smudge, smear or fade.
- Made of industrial grade polyolefin and featuring a 3:1 heat shrink ratio.
- Heat-shrink tubes tested to SAE, ASTM and military specifications.
- Use with DYMO Rhino™ industrial labeller: DY4200 and DY5200K.

Best for:



HAMER CODE	BRAND	CAT. CODE	MATERIAL	TEXT COLOUR	TAPE COLOUR	TAPE WIDTH	TAPE LENGTH
DY18051	DYMO Rhino™	18051	Heat shrink tube	Black	White	6mm	1.5m
DY18053	DYMO Rhino™	18053	Heat shrink tube	Black	White	9mm	1.5m
DY18055	DYMO Rhino™	18055	Heat shrink tube	Black	White	12mm	1.5m
DY18057	DYMO Rhino™	18057	Heat shrink tube	Black	White	19mm	1.5m
DY18052	DYMO Rhino™	18052	Heat shrink tube	Black	Yellow	6mm	1.5m
DY18054	DYMO Rhino™	18054	Heat shrink tube	Black	Yellow	9mm	1.5m
DY18056	DYMO Rhino™	18056	Heat shrink tube	Black	Yellow	12mm	1.5m
DY18058	DYMO Rhino™	18058	Heat shrink tube	Black	Yellow	19mm	1.5m



DY18051



DY18054

DYMO Rhino™ - Industrial Labeller - Accessories

- DYMO Rhino™ industrial labeller accessories.
- For use with DYMO Rhino™ industrial labellers DY4200 and DY5200K.

HAMER CODE	BRAND	CAT. CODE	TYPE	FOR USE WITH
DY4290758	DYMO Rhino™	4290758	Mains adaptor 230V AC	DY4200, DY5200K
DY1759398	DYMO Rhino™	1759398	Lithium-ion battery	DY4200, DY5200K



DY4290758



DY1759398

DYMO

Setting a New Standard in Industrial Labelling

DYMO® XTL™ 300 & XTL™ 500

Revolutionary label makers to simplify the most complex labelling



Life-like on screen
print preview



Touch screen
(XTL 500 only)



Built-in label
applications



DYMO® XTL™ 300



DYMO® XTL™ 500

DYMO XTL™ - Industrial Labeller - DYMO XTL 300

- DYMO XTL 300 industrial label maker - the industrial label maker that's packed with time-saving features to simplify labelling.
- A life-like on screen print preview and colour display show exactly how labels will look when applied to cables, pipes, panels, and more.
- Built-in label applications make getting started easy, and pre-loaded label templates ensure perfect formatting to save time.
- The rechargeable XTL 300 is toolbox-tough, with impact-resistant bumpers and a wipe-clean keypad.
- Prints labels from 6 mm up to 24 mm wide in a full range of UL-rated materials and colours, durable labels including continuous length tape, laminated wire/cable wraps, heat-shrink tubes and pre-sized labels.
- PC connectivity and DYMO ID software for importing Microsoft® Excel® or database files for printing entire label batches.
- Pre-set layouts for almost 100 patch panel models eliminate size and spacing guesswork.
- Also available in a kit set - kit includes: AC charging adapter, USB cable, lithium polymer battery, 1x DY1868753 24 mm vinyl & DY1868705 laminated wire/cable wrap cartridges, lanyard, quick start guide, PC software download card, and carry case.

HAMER CODE	BRAND	CAT. CODE	TYPE	TAPE SIZE RANGE	TAPE TYPES	FEATURES
DY1889481	DYMO XTL™	XTL 300	Industrial portable labeller	6 to 24mm	DYMO XTL industrial	Colour display, PC connect
DY1889482	DYMO XTL™	XTL 300 Kit	Industrial portable labeller kit	6 to 24mm	DYMO XTL industrial	Colour display, PC conn. & carry case



DY1889481



DY1889482

DYMO XTL™ - Industrial Labeller - DYMO XTL 500

- DYMO XTL 500 industrial label maker kit - the industrial label maker that ends frustration and simplifies labelling. Touch screen helps make label creation easier and faster.
- A life-like on screen print preview and colour display show exactly how labels will look when applied to cables, pipes, panels, barcodes and more.
- Built-in label applications make getting started easy, and pre-loaded label templates ensure perfect formatting to save time.
- The rechargeable XTL 500 is toolbox-tough, with impact-resistant bumpers and a wipe-clean keypad.
- Prints labels from 6 mm up to 54 mm wide in a full range of UL-rated materials and colours, durable labels including continuous length tape, laminated wire/cable wraps, heat-shrink tubes and pre-sized labels.
- PC connectivity and DYMO ID software for importing Microsoft® Excel® or database files for printing entire label batches.
- Pre-set layouts for almost 100 patch panel models eliminate size and spacing guesswork.
- Kit includes: AC charging adapter, USB cable, lithium polymer battery, 1x DY1868755 54 mm vinyl & DY1868708 laminated wire/cable wrap cartridges, quick start guide, PC software download card, and carry case.

HAMER CODE	BRAND	CAT. CODE	MATERIAL	TAPE SIZE RANGE	TAPE TYPES	FEATURES
DY1889483	DYMO XTL™	XTL 500 Kit	Industrial portable labeller kit	6 to 54mm	DYMO XTL industrial	Colour touch screen display, PC conn. & carry case



DY1889483

DYMO XTL™ - Industrial Labels - Glossy Polyester Pre-Sized Labels

- DYMO XTL pre-sized labels are ideal for flat surface labelling like barcodes, faceplates, shelves, bins, beams and more.
- Constructed of a glossy polyester material and coated with industrial-grade adhesive.
- Pre-sized labels help facilitate batch label printing to improve productivity.
- Industrial-strength labels withstand the toughest conditions – moisture, chemicals, a wide range of temperatures, UV light and more.
- Durable thermal transfer printing technology – label text won't smear or fade.
- UL recognised as a component to UL 969.
- For use with DYMO XTL industrial label makers only.

Best for:



DY1868665



DY1868668



DY1868702

HAMER CODE	BRAND	CAT. CODE	MATERIAL	TEXT COLOUR	TAPE COLOUR	TAPE WIDTH	TAPE LENGTH	LABELS / CARTRIDGE	FITS LABELLER
DY1868665	DYMO XTL™	1868665	Glossy polyester - pre-sized	Black	White	12mm	12mm	250	XTL 300, 500
DY1868666	DYMO XTL™	1868666	Glossy polyester - pre-sized	Black	White	12mm	25mm	250	XTL 300, 500
DY1868667	DYMO XTL™	1868667	Glossy polyester - pre-sized	Black	White	12mm	38mm	185	XTL 300, 500
DY1868668	DYMO XTL™	1868668	Glossy polyester - pre-sized	Black	White	25mm	25mm	250	XTL 500
DY1868669	DYMO XTL™	1868669	Glossy polyester - pre-sized	Black	White	9mm	25mm	250	XTL 300, 500
DY1868670	DYMO XTL™	1868670	Glossy polyester - pre-sized	Black	White	12mm	19mm	250	XTL 300, 500
DY1868701	DYMO XTL™	1868701	Glossy polyester - pre-sized	Black	White	19mm	25mm	250	XTL 300, 500
DY1868702	DYMO XTL™	1868702	Glossy polyester - pre-sized	Black	White	25mm	51mm	100	XTL 500
DY1868703	DYMO XTL™	1868703	Glossy polyester - pre-sized	Black	White	51mm	76mm	100	XTL 500

DYMO XTL™ - Industrial Labels - Laminated Wire/ Cable Wrap

- DYMO XTL pre-sized wire/cable wraps with laminated overwrap protect printed areas from oil, chemicals, moisture, abrasion and fading.
- Improve your productivity by printing batches of cable wraps at once.
- Simply take them with you, peel and apply.
- Also available in sheet label formats for high-volume installations.
- Durable thermal transfer printing technology - label text won't smear or fade.
- UL recognised as a component to UL 969.
- For use with DYMO XTL industrial label makers only.

Best for:



DY1868709



DY1868712

HAMER CODE	BRAND	CAT. CODE	MATERIAL	TEXT COLOUR	TAPE COLOUR	TAPE WIDTH	TAPE LENGTH	LABELS / CARTRIDGE	FITS LABELLER
DY1868704	DYMO XTL™	1868704	Laminated overwrap - pre-sized	Black	White	21mm	21mm	250	XTL 300, 500
DY1868705	DYMO XTL™	1868705	Laminated overwrap - pre-sized	Black	White	21mm	39mm	150	XTL 300, 500
DY1868706	DYMO XTL™	1868706	Laminated overwrap - pre-sized	Black	White	21mm	102mm	75	XTL 300, 500
DY1868707	DYMO XTL™	1868707	Laminated overwrap - pre-sized	Black	White	38mm	21mm	250	XTL 500
DY1868708	DYMO XTL™	1868708	Laminated overwrap - pre-sized	Black	White	38mm	39mm	150	XTL 500
DY1868709	DYMO XTL™	1868709	Laminated overwrap - pre-sized	Black	White	38mm	102mm	75	XTL 500
DY1868710	DYMO XTL™	1868710	Laminated overwrap - pre-sized	Black	White	51mm	21mm	250	XTL 500
DY1868711	DYMO XTL™	1868711	Laminated overwrap - pre-sized	Black	White	51mm	39mm	100	XTL 500
DY1868712	DYMO XTL™	1868712	Laminated overwrap - pre-sized	Black	White	51mm	102mm	70	XTL 500

DYMO XTL™ - Industrial Labels - Pre-Sized Vinyl Safety Labels

- DYMO XTL pre-sized safety labels are pre-printed with DANGER and NOTICE headers for on-demand printing of small format safety signage.
- Constructed of a durable vinyl material and coated with industrial-grade adhesive.
- Industrial-strength labels withstand the toughest conditions, moisture, a wide range of temperatures, UV light and more.
- Durable thermal transfer printing technology, label text won't smear or fade.
- UL recognised as a component to UL 969.
- For use with DYMO XTL 500 industrial label makers only.

Best for:



HAMER CODE	BRAND	CAT. CODE	MATERIAL	TEXT COLOUR	TAPE / HEADER COLOUR	TAPE WIDTH	TAPE LENGTH	LABELS / CARTRIDGE	FITS LABELLER
DY1868713	DYMO XTL™	1868713	Vinyl safety label - pre-sized	Black	White with orange	51mm	102mm	70	XTL 500
DY1868714	DYMO XTL™	1868714	Vinyl safety label - pre-sized	Black	White with yellow	51mm	102mm	70	XTL 500
DY1868715	DYMO XTL™	1868715	Vinyl safety label - pre-sized	Black	White with blue printed 'NOTICE'	51mm	102mm	70	XTL 500
DY1868716	DYMO XTL™	1868716	Vinyl safety label - pre-sized	Black	White with red printed 'DANGER'	51mm	102mm	70	XTL 500



DY1868713



DY1868714



DY1868715



DY1868716

DYMO XTL™ - Industrial Labels - Heat Shrink Labels

- DYMO XTL label makers print directly on continuous or pre-sized heat-shrink tubes.
- Heat-shrink tubes provide insulation when shrunk down and ensure a secure fit on wires and cables with a 3:1 shrink ratio.
- Durable thermal transfer printing technology – heat-shrink tube text won't smudge, smear or fade.
- Constructed of flame-retardant polyolefin sleeves and tested to industry standards.
- Meets MIL-M-81531, MIL-STD-202G, SAE-DTL- 23053/5 (Class 1 & 3).
- UL recognised as a component to UL 224.
- For use with DYMO XTL industrial label makers only.

Best for:



DY1868717



DY1868734



DY1868810

CODE	BRAND	CAT. CODE	MATERIAL	TEXT COLOUR	TAPE COLOUR	TAPE WIDTH	TAPE LENGTH	LABELS / CARTRIDGE	FITS LABELLER
DY1868717	DYMO XTL™	1868717	Heat shrink - pre-sized	Black	White	6mm	34mm	81	XTL 500
DY1868718	DYMO XTL™	1868718	Heat shrink - pre-sized	Black	White	12mm	34mm	65	XTL 500
DY1868719	DYMO XTL™	1868719	Heat shrink - pre-sized	Black	White	24mm	34mm	60	XTL 500
DY1868720	DYMO XTL™	1868720	Heat shrink - pre-sized	Black	White	54mm	34mm	25	XTL 500
DY1868731	DYMO XTL™	1868731	Heat shrink - pre-sized	Black	White	6mm	47mm	81	XTL 500
DY1868732	DYMO XTL™	1868732	Heat shrink - pre-sized	Black	White	12mm	47mm	65	XTL 500
DY1868733	DYMO XTL™	1868733	Heat shrink - pre-sized	Black	White	24mm	47mm	60	XTL 500
DY1868734	DYMO XTL™	1868734	Heat shrink - pre-sized	Black	White	54mm	47mm	25	XTL 500
DY1868809	DYMO XTL™	1868809	Heat shrink - continuous	Black	White	6mm	2.7mt	-	XTL 300, 500
DY1868810	DYMO XTL™	1868810	Heat shrink - continuous	Black	White	12mm	2.7mt	-	XTL 300, 500
DY1868811	DYMO XTL™	1868811	Heat shrink - continuous	Black	White	24mm	2.7mt	-	XTL 300, 500
DY1868812	DYMO XTL™	1868812	Heat shrink - continuous	Black	White	54mm	2.7mt	-	XTL 300, 500

DYMO XTL™ - Industrial Labels - Permanent Flat Surface Labels

- DYMO XTL permanent flat surface labels for labelling panels, blocks, faceplates, shelves, bins, beams and more.
- Permanent flat surface labels have a glossy finish that leaves your work looking professional. Constructed of polyester material and coated with industrial-grade adhesive.
- Available in smaller widths down to 6mm to fit in tight spaces.
- Industrial-strength labels withstand the toughest conditions, moisture, chemicals, a wide range of temperatures, UV light and more.
- Durable thermal transfer printing technology - label text won't smear or fade.
- UL recognised as a component to UL 969.
- For use with DYMO XTL industrial label makers only.

Best for:



DY1868737



DY1868738

HAMER CODE	BRAND	CAT. CODE	MATERIAL	TEXT COLOUR	TAPE COLOUR	TAPE WIDTH	TAPE LENGTH	FITS LABELLER
DY1868735	DYMO XTL™	1868735	Glossy polyester - continuous	Black	White	6mm	9.1mt	XTL 300, 500
DY1868736	DYMO XTL™	1868736	Glossy polyester - continuous	Black	White	9mm	9.1mt	XTL 300, 500
DY1868737	DYMO XTL™	1868737	Glossy polyester - continuous	Black	White	12mm	9.1mt	XTL 300, 500
DY1868738	DYMO XTL™	1868738	Glossy polyester - continuous	Black	Clear	6mm	9.1mt	XTL 300, 500
DY1868739	DYMO XTL™	1868739	Glossy polyester - continuous	Black	Clear	9mm	9.1mt	XTL 300, 500
DY1868740	DYMO XTL™	1868740	Glossy polyester - continuous	Black	Clear	12mm	9.1mt	XTL 300, 500

DYMO XTL™ - Industrial Labels - All-Purpose Vinyl Labels

- DYMO XTL all-purpose vinyl labels are ideal for almost any labelling application from textured surfaces to cables.
- Vinyl offers moisture, chemical and UV resistance, making it ideal for labelling both indoors and outdoors.
- Available in sizes from 12mm to 54mm & in a wide range of colours that fit with OSHA, ANSI & ISO colour standards to enhance workplace communication & safety.
- Thermal transfer printing technology – label text won't smudge, smear or fade.
- Industrial-strength adhesive, so labels won't curl or fall off.
- UL recognised as a component to UL 969.
- For use with DYMO XTL industrial label makers only.

Best for:



DY1868741



DY1868759



DY1868766

HAMER CODE	BRAND	CAT. CODE	MATERIAL	TEXT COLOUR	TAPE COLOUR	TAPE WIDTH	TAPE LENGTH	FITS LABELLER
DY1868741	DYMO XTL™	1868741	All-purpose vinyl - continuous	Black	Clear	12mm	7mt	XTL 300, 500
DY1868742	DYMO XTL™	1868742	All-purpose vinyl - continuous	Black	Clear	19mm	7mt	XTL 300, 500
DY1868743	DYMO XTL™	1868743	All-purpose vinyl - continuous	Black	Clear	24mm	7mt	XTL 300, 500
DY1868744	DYMO XTL™	1868744	All-purpose vinyl - continuous	Black	Clear	41mm	7mt	XTL 500
DY1868745	DYMO XTL™	1868745	All-purpose vinyl - continuous	Black	Clear	54mm	7mt	XTL 500
DY1868746	DYMO XTL™	1868746	All-purpose vinyl - continuous	Red	Clear	12mm	7mt	XTL 300, 500
DY1868747	DYMO XTL™	1868747	All-purpose vinyl - continuous	Red	Clear	19mm	7mt	XTL 300, 500
DY1868748	DYMO XTL™	1868748	All-purpose vinyl - continuous	Red	Clear	24mm	7mt	XTL 300, 500
DY1868749	DYMO XTL™	1868749	All-purpose vinyl - continuous	Red	Clear	41mm	7mt	XTL 500
DY1868750	DYMO XTL™	1868750	All-purpose vinyl - continuous	Red	Clear	54mm	7mt	XTL 500
DY1868751	DYMO XTL™	1868751	All-purpose vinyl - continuous	Black	White	12mm	7mt	XTL 300, 500
DY1868752	DYMO XTL™	1868752	All-purpose vinyl - continuous	Black	White	19mm	7mt	XTL 300, 500
DY1868753	DYMO XTL™	1868753	All-purpose vinyl - continuous	Black	White	24mm	7mt	XTL 300, 500

HAMER CODE	BRAND	CAT. CODE	MATERIAL	TEXT COLOUR	TAPE COLOUR	TAPE WIDTH	TAPE LENGTH	FITS LABELLER
DY1868754	DYMO XTL™	1868754	All-purpose vinyl - continuous	Black	White	41mm	7mt	XTL 500
DY1868755	DYMO XTL™	1868755	All-purpose vinyl - continuous	Black	White	54mm	7mt	XTL 500
DY1868756	DYMO XTL™	1868756	All-purpose vinyl - continuous	Red	White	12mm	7mt	XTL 300, 500
DY1868757	DYMO XTL™	1868757	All-purpose vinyl - continuous	Red	White	19mm	7mt	XTL 300, 500
DY1868758	DYMO XTL™	1868758	All-purpose vinyl - continuous	Red	White	24mm	7mt	XTL 300, 500
DY1868759	DYMO XTL™	1868759	All-purpose vinyl - continuous	Red	White	41mm	7mt	XTL 500
DY1868760	DYMO XTL™	1868760	All-purpose vinyl - continuous	Red	White	54mm	7mt	XTL 500
DY1868761	DYMO XTL™	1868761	All-purpose vinyl - continuous	White	Red	12mm	7mt	XTL 300, 500
DY1868762	DYMO XTL™	1868762	All-purpose vinyl - continuous	White	Red	19mm	7mt	XTL 300, 500
DY1868763	DYMO XTL™	1868763	All-purpose vinyl - continuous	White	Red	24mm	7mt	XTL 300, 500
DY1868764	DYMO XTL™	1868764	All-purpose vinyl - continuous	White	Red	41mm	7mt	XTL 500
DY1868765	DYMO XTL™	1868765	All-purpose vinyl - continuous	White	Red	54mm	7mt	XTL 500
DY1868766	DYMO XTL™	1868766	All-purpose vinyl - continuous	Black	Orange	12mm	7mt	XTL 300, 500
DY1868767	DYMO XTL™	1868767	All-purpose vinyl - continuous	Black	Orange	19mm	7mt	XTL 300, 500
DY1868768	DYMO XTL™	1868768	All-purpose vinyl - continuous	Black	Orange	24mm	7mt	XTL 300, 500
DY1868769	DYMO XTL™	1868769	All-purpose vinyl - continuous	Black	Orange	41mm	7mt	XTL 500
DY1868770	DYMO XTL™	1868770	All-purpose vinyl - continuous	Black	Orange	54mm	7mt	XTL 500
DY1868771	DYMO XTL™	1868771	All-purpose vinyl - continuous	Black	Yellow	12mm	7mt	XTL 300, 500
DY1868772	DYMO XTL™	1868772	All-purpose vinyl - continuous	Black	Yellow	19mm	7mt	XTL 300, 500
DY1868773	DYMO XTL™	1868773	All-purpose vinyl - continuous	Black	Yellow	24mm	7mt	XTL 300, 500
DY1868774	DYMO XTL™	1868774	All-purpose vinyl - continuous	Black	Yellow	41mm	7mt	XTL 500
DY1868775	DYMO XTL™	1868775	All-purpose vinyl - continuous	Black	Yellow	54mm	7mt	XTL 500
DY1868776	DYMO XTL™	1868776	All-purpose vinyl - continuous	White	Blue	12mm	7mt	XTL 300, 500
DY1868777	DYMO XTL™	1868777	All-purpose vinyl - continuous	White	Blue	19mm	7mt	XTL 300, 500
DY1868778	DYMO XTL™	1868778	All-purpose vinyl - continuous	White	Blue	24mm	7mt	XTL 300, 500
DY1868779	DYMO XTL™	1868779	All-purpose vinyl - continuous	White	Blue	41mm	7mt	XTL 500

HAMER CODE	BRAND	CAT. CODE	MATERIAL	TEXT COLOUR	TAPE COLOUR	TAPE WIDTH	TAPE LENGTH	FITS LABELLER
DY1868780	DYMO XTL™	1868780	All-purpose vinyl - continuous	White	Blue	54mm	7mt	XTL 500
DY1868781	DYMO XTL™	1868781	All-purpose vinyl - continuous	White	Green	12mm	7mt	XTL 300, 500
DY1868782	DYMO XTL™	1868782	All-purpose vinyl - continuous	White	Green	19mm	7mt	XTL 300, 500
DY1868783	DYMO XTL™	1868783	All-purpose vinyl - continuous	White	Green	24mm	7mt	XTL 300, 500
DY1868784	DYMO XTL™	1868784	All-purpose vinyl - continuous	White	Green	41mm	7mt	XTL 500
DY1868785	DYMO XTL™	1868785	All-purpose vinyl - continuous	White	Green	54mm	7mt	XTL 500
DY1868786	DYMO XTL™	1868786	All-purpose vinyl - continuous	White	Brown	12mm	7mt	XTL 300, 500
DY1868787	DYMO XTL™	1868787	All-purpose vinyl - continuous	White	Brown	19mm	7mt	XTL 300, 500
DY1868788	DYMO XTL™	1868788	All-purpose vinyl - continuous	White	Brown	24mm	7mt	XTL 300, 500
DY1868789	DYMO XTL™	1868789	All-purpose vinyl - continuous	White	Brown	41mm	7mt	XTL 500
DY1868790	DYMO XTL™	1868790	All-purpose vinyl - continuous	White	Brown	54mm	7mt	XTL 500
DY1868791	DYMO XTL™	1868791	All-purpose vinyl - continuous	White	Purple	12mm	7mt	XTL 300, 500
DY1868792	DYMO XTL™	1868792	All-purpose vinyl - continuous	White	Purple	19mm	7mt	XTL 300, 500
DY1868793	DYMO XTL™	1868793	All-purpose vinyl - continuous	White	Purple	24mm	7mt	XTL 300, 500
DY1868794	DYMO XTL™	1868794	All-purpose vinyl - continuous	White	Purple	41mm	7mt	XTL 500
DY1868795	DYMO XTL™	1868795	All-purpose vinyl - continuous	White	Purple	54mm	7mt	XTL 500
DY1868796	DYMO XTL™	1868796	All-purpose vinyl - continuous	White	Black	12mm	7mt	XTL 300, 500
DY1868797	DYMO XTL™	1868797	All-purpose vinyl - continuous	White	Black	19mm	7mt	XTL 300, 500
DY1868798	DYMO XTL™	1868798	All-purpose vinyl - continuous	White	Black	24mm	7mt	XTL 300, 500
DY1868799	DYMO XTL™	1868799	All-purpose vinyl - continuous	White	Black	41mm	7mt	XTL 500
DY1868800	DYMO XTL™	1868800	All-purpose vinyl - continuous	White	Black	54mm	7mt	XTL 500
DY1868801	DYMO XTL™	1868801	All-purpose vinyl - continuous	Black	Grey	12mm	7mt	XTL 300, 500
DY1868802	DYMO XTL™	1868802	All-purpose vinyl - continuous	Black	Grey	19mm	7mt	XTL 300, 500
DY1868803	DYMO XTL™	1868803	All-purpose vinyl - continuous	Black	Grey	24mm	7mt	XTL 300, 500
DY1868804	DYMO XTL™	1868804	All-purpose vinyl - continuous	Black	Grey	41mm	7mt	XTL 500
DY1868805	DYMO XTL™	1868805	All-purpose vinyl - continuous	Black	Grey	54mm	7mt	XTL 500

DYMO XTL™ - Industrial Labels - Flexible Cable Wrap Labels

- DYMO XTL flexible cable wraps are ideal for labelling wires, cables & rounded surfaces.
- Constructed of durable, flexible nylon material designed to conform and stick.
- Tear-proof material resists damage when pulled through tight spaces or conduits.
- Industrial-strength labels withstand the toughest conditions, moisture, chemicals, a wide range of temperatures, UV light and more.
- Durable thermal transfer printing technology – label text won't smear or fade.
- UL recognised as a component to UL 969.
- For use with DYMO XTL industrial label makers only.

Best for:



HAMER CODE	BRAND	CAT. CODE	MATERIAL	TEXT COLOUR	TAPE COLOUR	TAPE WIDTH	TAPE LENGTH	FITS LABELLER
DY1868806	DYMO XTL™	1868806	Flexible nylon - continuous	Black	White	12mm	5.5mt	XTL 300, 500
DY1868807	DYMO XTL™	1868807	Flexible nylon - continuous	Black	White	19mm	5.5mt	XTL 300, 500
DY1868808	DYMO XTL™	1868808	Flexible nylon - continuous	Black	White	24mm	5.5mt	XTL 300, 500




DY1868807

DYMO XTL™ - Industrial Labels - Laminated Wire/Cable Wrap Sheets

- DYMO XTL pre-sized wire/cable wrap sheets with laminated overwrap protect printed areas from oil, chemicals, moisture, UV, abrasion and fading.
- Sheet label formats for high-volume installations help improve your productivity by printing batches of cable wraps at once from your PC.
- Quickly print XTL laminated wire/cable wrap sheet labels directly to a laser printer with the FREE DYMO ID downloadable software.
- Simply take them with you, peel and apply.
- UL recognised as a component to UL 969.
- For use with DYMO XTL industrial label makers only.

Best for:



DY1908557

HAMER CODE	BRAND	CAT. CODE	MATERIAL	TEXT COLOUR	TAPE COLOUR	LABEL WIDTH	LABEL LENGTH	TOTAL # LABELS	FITS LABELLER
DY1908552	DYMO XTL™	1908552	Laminated overwrap - pre-sized sheet	Black	White	24mm	23mm	2592	Any A4 PC printer
DY1908553	DYMO XTL™	1908553	Laminated overwrap - pre-sized sheet	Black	White	24mm	42mm	2544	Any A4 PC printer
DY1908554	DYMO XTL™	1908554	Laminated overwrap - pre-sized sheet	Black	White	24mm	103mm	1008	Any A4 PC printer
DY1908555	DYMO XTL™	1908555	Laminated overwrap - pre-sized sheet	Black	White	41mm	23mm	2040	Any A4 PC printer
DY1908556	DYMO XTL™	1908556	Laminated overwrap - pre-sized sheet	Black	White	41mm	42mm	1020	Any A4 PC printer
DY1908557	DYMO XTL™	1908557	Laminated overwrap - pre-sized sheet	Black	White	54mm	23mm	1008	Any A4 PC printer
DY1908558	DYMO XTL™	1908558	Laminated overwrap - pre-sized sheet	Black	White	54mm	42mm	1008	Any A4 PC printer

Quick label application selector chart

		ALL-PURPOSE VINYL	PERMANENT FLAT SURFACE	FLEXIBLE CABLE WRAP	HEAT-SHRINK TUBE (CONTINUOUS & PRE-SIZED)	SELF LAMINATING WIRE/CABLE WRAP	PRE-SIZED LABELS	PRE-SIZED SAFETY LABELS
SURFACE	FLAT	✓	✓	✓			✓	✓
	WIRES & CABLES	✓		✓	✓	✓		
	CURVED	✓		✓				
	FLAG	✓		✓				
	TEXTURED	✓		✓				✓
RESISTANCE	HEAT/COLD	-40° to 60° c	-40° to 60° c	-40° to 60° c	Max 125° C	-40° to 80° c	-40° to 150° c	-40° to 80° c
	OUTDOOR	✓						✓
	UV LIGHT	✓	✓	✓	✓	✓	✓	✓
	OIL	✓	✓		✓	✓		
	WATER	✓	✓		✓	✓		✓
	CHEMICAL	✓	✓		✓	✓		
INDUSTRY STANDARDS & RATINGS	COLOUR	OSHA, ANSI, ISO COLOUR STANDARDS						COLOURED HEADERS TO COMPLY WITH OSHA, ANSI, ISO COLOUR STANDARDS
	UL RECOGNISED AS A COMPONENT TO	UL 969	UL 969	UL 969	UL 224	UL 969	UL 969	UL 969
	MIL-SPEC & SAE				<ul style="list-style-type: none"> MIL-M-8153 MIL-STD-202G SAE - DDTL-23053/5 (CLASS 1 & 3) 			
	RoHS	✓	✓	✓	✓	✓	✓	✓

DYMO - Home or Office - D1 Standard Labels

- DYMO D1 labels offer the performance and variety you need for most indoor home or office labelling jobs.
- They adhere to most clean, flat surfaces – including plastic, cardboard & paper.
- D1 labels take the hassle out of home and office organisation.
- Create high-quality labels for all your organisation needs.
- Easy-to-peel split back design makes applying labels quick and easy.
- Use with DYMO LabelManager® label printers.

Best for:



DY1013



DY1018

HAMER CODE	BRAND	CAT. CODE	TYPE	TEXT COLOUR	TAPE COLOUR	TAPE WIDTH	TAPE LENGTH
DY3613	DYMO	SD43613	D1 tape	Black	White	6mm	7m
DY0913	DYMO	SD40913	D1 tape	Black	White	9mm	7m
DY1013	DYMO	SD45013	D1 tape	Black	White	12mm	7m
DY5803	DYMO	SD45803	D1 tape	Black	White	19mm	7m
DY0918	DYMO	SD40918	D1 tape	Black	Yellow	9mm	7m
DY1018	DYMO	SD45018	D1 tape	Black	Yellow	12mm	7m
DY5808	DYMO	SD45808	D1 tape	Black	Yellow	19mm	7m



DY1017



DY1017

HAMER CODE	BRAND	CAT. CODE	TYPE	TEXT COLOUR	TAPE COLOUR	TAPE WIDTH	TAPE LENGTH
DY0910	DYMO	SD40910	D1 tape	Black	Clear	9mm	7m
DY1010	DYMO	SD45010	D1 tape	Black	Clear	12mm	7m
DY1017	DYMO	SD45017	D1 tape	Black	Red	12mm	7m
DY1014	DYMO	SD45014	D1 tape	Blue	White	12mm	7m
DY1015	DYMO	SD45015	D1 tape	Red	White	12mm	7m
DY5805	DYMO	SD45805	D1 tape	Red	White	19mm	7m
DY1021	DYMO	SD45021	D1 tape	White	Black	12mm	7m
DY5811	DYMO	SD45811	D1 tape	White	Black	19mm	7m
DY1020	DYMO	SD45020	D1 tape	White	Clear	12mm	7m

Permanent Marker - Fine Point

- Sharpie® fine point and retractable fine point permanent markers - easy to use, bold to the max and permanent to the core.
- Proudly permanent ink marks on paper, plastic, metal, and most other surfaces.
- Remarkably resilient ink dries quickly and resists both fading and water; AP certified.
- Endlessly versatile fine point is perfect for countless uses in the classroom, office, home, and beyond.

HAMER CODE	BRAND	CAT. CODE	POINT TYPE	COLOUR	LINE WIDTH MM	BOX QTY
SH0051	Sharpie	S30051	Fine	Black	1	12
SH0063	Sharpie	S30063	Fine	Blue	1	12
SH6701	Sharpie	S36701	Fine - retractable	Black	1	12
SH6703	Sharpie	S36703	Fine - retractable	Blue	1	12



SH0051



SH0063



SH6701



SH6703

Nylon Cable Ties - Natural

- Natural colour cable ties made from 100% high grade nylon (PA66).
- Inside serration for strong hold around bundles.
- Strong nylon tongue for superior strength (will not cut into the cable tie under pressure/ motion to weaken like metal tongue versions).
- Simple to insert due to the ergonomically bent tail.
- Standard pack size 100 (other sizes by special arrangement).



HCT350

HAMER CODE	BRAND	CAT. CODE	COLOUR	LENGTH mm	WIDTH mm	TENSILE STRENGTH	MAX BUNDLE DIAMETER	PACK SIZE
HCT300	HellermannTyton	T18R	Natural	100	2.5	8.1kg	22mm	100
HCT310	HellermannTyton	T18I	Natural	145	2.5	8.1kg	35mm	100
HCT315	HellermannTyton	T18L	Natural	205	2.5	8.1kg	55mm	100
HCT330	HellermannTyton	T30R	Natural	150	3.5	13.6kg	35mm	100
HCT340	HellermannTyton	T30LL	Natural	290	3.5	13.6kg	80mm	100
HCT350	HellermannTyton	T50R	Natural	200	4.6	22.7kg	50mm	100
HCT380	HellermannTyton	T60R	Natural	301	4.8	22.7kg	73mm	100
HCT370	HellermannTyton	T50L	Natural	390	4.6	22.7kg	110mm	100
HCT400	HellermannTyton	T120R	Natural	387	7.6	54.4kg	100mm	100
HCT410	HellermannTyton	T120M	Natural	460	7.6	54.4kg	130mm	100

Nylon Cable Ties - Black UV Weather-Resistant

- UV resistant black colour cable ties made from 100% high grade nylon (PA66W).
- Weather-and UV. resistant
- Inside serration for strong hold around bundles.
- Strong nylon tongue for superior strength (will not cut into the cable tie under pressure/ motion to weaken like metal tongue versions).
- Simple to insert due to the ergonomically bent tail.
- Standard pack size 100 (other sizes by special arrangement).



HCT355

HAMER CODE	BRAND	CAT. CODE	COLOUR	LENGTH mm	WIDTH mm	TENSILE STRENGTH	MAX BUNDLE DIAMETER	PACK SIZE
HCT305	HellermannTyton	T18R-W	Black	100	2.5	8.1kg	22mm	100
HCT320	HellermannTyton	T18L-W	Black	205	2.5	8.1kg	55mm	100
HCT335	HellermannTyton	T30R-W	Black	150	3.5	13.6kg	35mm	100
HCT343	HellermannTyton	T30LL-W	Black	290	3.5	13.6kg	80mm	100
HCT355	HellermannTyton	T50R-W	Black	200	4.6	22.7kg	50mm	100
HCT385	HellermannTyton	T60R-W	Black	301	4.8	22.7kg	73mm	100
HCT375	HellermannTyton	T50L-W	Black	390	4.6	22.7kg	110mm	100
HCT405	HellermannTyton	T120R-W	Black	387	7.6	54.4kg	100mm	100
HCT415	HellermannTyton	T120M-W	Black	460	7.6	54.4kg	130mm	100
HCT435	HellermannTyton	T150M-W	Black	525	8.9	79.4kg	150mm	100 (4x25)
HCT540	HellermannTyton	LK5-W	Black	535	13.2	113.4kg	150mm	100 (2x50)
HCT425	HellermannTyton	T120L-W	Black	760	7.6	54.4kg	225mm	100 (2x50)

Nylon Cable Ties - Outside Serrated

- Outside serrated coloured cable ties made from 100% high grade nylon (PA66VO).
- Used in telecommunications, computers or where any thin-walled insulation wires and cables are being used.
- The outside serration allows for the inner smooth surface to contact and follow the contours of the cable bundle perfectly with no damage.
- Nylon tongue for strength (will not cut into the cable tie under pressure/ motion to weaken like metal tongue versions).
- Simple to insert due to the ergonomically bent tail.
- Standard pack size 1000 (other sizes by special arrangement).

HAMER CODE	BRAND	CAT. CODE	COLOUR	LENGTH mm	WIDTH mm	TENSILE STRENGTH	MAX BUNDLE DIAMETER	PACK SIZE
HCT205	HellermannTyton	T18ROS.HG7P	Green	100	2.5	8.1kg	20mm	1000
HCT215	HellermannTyton	T18ROS.NA4P	Brown	100	2.5	8.1kg	20mm	1000
HCT225	HellermannTyton	T18ROS.HL7P	Blue	100	2.5	8.1kg	20mm	1000
HCT235	HellermannTyton	T18ROS.HO7P	Orange	100	2.5	8.1kg	20mm </td <td>1000</td>	1000
HCT240	HellermannTyton	T18ROS.LKOX	Natural	100	2.5	8.1kg	20mm	1000



HCT205



HCT215



HCT225



HCT235



HCT240

Stainless Steel Cable Ties - 316 Grade Uncoated

- Stainless steel cable ties 316 grade.
- Corrosion, high temperature, weather and chemical resistant.
- Anti-magnetic and non-burning.
- High strength, ball lock.



SST20046

HAMER CODE	BRAND	CAT. CODE	TYPE	LENGTH mm	WIDTH mm	TENSILE STRENGTH	MAX BUNDLE DIAMETER	PACK SIZE
SST12546	HellermannTyton	SST125X4.6	Uncoated 316	125	4.6	91kg	25mm	100
SST15046	HellermannTyton	SST150X4.6	Uncoated 316	150	4.6	91kg	46mm	100
SST20046	HellermannTyton	SST200X4.6	Uncoated 316	200	4.6	91kg	50mm	100
SST36046	HellermannTyton	SST360X4.6	Uncoated 316	360	4.6	91kg	102mm	100
SST52046	HellermannTyton	SST520X4.6	Uncoated 316	520	4.6	91kg	152mm	100
SST68046	HellermannTyton	SST680X4.6	Uncoated 316	680	4.6	91kg	203mm	100
SST84046	HellermannTyton	SST840X4.6	Uncoated 316	840	4.6	91kg	254mm	100
SST20079	HellermannTyton	SST200X7.9	Uncoated 316	200	7.9	203kg	50mm	100
SST29079	HellermannTyton	SST290X7.9	Uncoated 316	290	7.9	203kg	90mm	100
SST36079	HellermannTyton	SST360X7.9	Uncoated 316	360	7.9	203kg	102mm	100
SST52079	HellermannTyton	SST520X7.9	Uncoated 316	520	7.9	203kg	152mm	100
SST68079	HellermannTyton	SST680X7.9	Uncoated 316	680	7.9	203kg	203mm	100
SST84079	HellermannTyton	SST840X7.9	Uncoated 316	840	7.9	203kg	254mm	100

Stainless Steel Cable Ties - 316 Grade Coated

- Stainless steel cable ties 316 grade with fully (SP) polyester black coated protection.
- Eliminates contact corrosion between dissimilar materials during application.
- Smooth edging for comfortable installation.
- High strength, ball lock.



SSCCTB20046

HAMER CODE	BRAND	CAT. CODE	TYPE	LENGTH mm	WIDTH mm	TENSILE STRENGTH	MAX BUNDLE DIAMETER	PACK SIZE
SSCCTB12546	HellermannTyton	SSCCTB125X4.6	Coated 316	125	4.6	55kg	25mm	100
SSCCTB15046	HellermannTyton	SSCCTB150X4.6	Coated 316	150	4.6	55kg	46mm	100
SSCCTB20046	HellermannTyton	SSCCTB200X4.6	Coated 316	200	4.6	55kg	50mm	100
SSCCTB26046	HellermannTyton	SSCCTB260X4.6	Coated 316	260	4.6	55kg	81mm	100
SSCCTB29046	HellermannTyton	SSCCTB290X4.6	Coated 316	290	4.6	55kg	90mm	100
SSCCTB36046	HellermannTyton	SSCCTB360X4.6	Coated 316	360	4.6	55kg	102mm	100
SSCCTB52046	HellermannTyton	SSCCTB520X4.6	Coated 316	520	4.6	55kg	152mm	100
SSCCTB68046	HellermannTyton	SSCCTB680X4.6	Coated 316	680	4.6	55kg	203mm	100
SSCCTB84046	HellermannTyton	SSCCTB840X4.6	Coated 316	840	4.6	55kg	254mm	100
SSCCTB20079	HellermannTyton	SSCCTB200X7.9	Coated 316	200	7.9	104kg	50mm	100
SSCCTB29079	HellermannTyton	SSCCTB290X7.9	Coated 316	290	7.9	104kg	90mm	100
SSCCTB36079	HellermannTyton	SSCCTB360X7.9	Coated 316	360	7.9	104kg	102mm	100
SSCCTB52079	HellermannTyton	SSCCTB520X7.9	Coated 316	520	7.9	104kg	152mm	100
SSCCTB68079	HellermannTyton	SSCCTB680X7.9	Coated 316	680	7.9	104kg	203mm	100
SSCCTB84079	HellermannTyton	SSCCTB840X7.9	Coated 316	840	7.9	104kg	254mm	100

Cable Mounts and Clips

- Colour: Black or natural.
- Good temperature resistance.
- Lightweight but strong fixing.
- Manufactured from polyamide.
- Pack size 100.
- Plastic P clips for permanent or semi-permanent cable fixing.



HCT104

HAMER CODE	BRAND	CAT. CODE	MOUNTING TYPE	COLOUR	DIMS L x W x H mm	RADIUS	FIXING HOLE Ø	MAX STRAP WIDTH mm
HCT720	HellermanTyton	MB4A	Self adhesive cable tie mounts	Natural	28 x 28 x 4.7	-	4	5.4
HCT713	HellermanTyton	MB2	Screw fixing cable tie mounts	Black	20.5 x 12.5 x 3.3	-	5	5
HCT715	HellermanTyton	MB3A	Self adhesive cable tie mounts	Natural	19 x 19 x 3.8	-	3.1	4.1
HCT730	HellermanTyton	MB5APT	Self adhesive cable tie mounts	Black	38 x 38 x 6.4	-	4.7	10
HCT102	HellermanTyton	H2P	HP clips	Black	13mm x 10mm	0.5	4.2	5
HCT103	HellermanTyton	H3P	HP clips	Black	13mm x 10mm	1	4.2	6.5
HCT104	HellermanTyton	H4P	HP clips	Black	14mm x 10mm	1	4.2	8
HCT105	HellermanTyton	H5P	HP clips	Black	15mm x 10mm	1	4.2	9.5
HCT107	HellermanTyton	H7P	HP clips	Black	20mm x 10mm	1.5	4.2	12.5
HCT115	HellermanTyton	H15P	HP clips	Black	35mm x 12mm	2.5	5.2	25.5

PVC Electrical Insulating Tape - Premium series

- PVC electrical insulation tape, UL listed, premium series. Suitable for up to 600V. Temperatures between -10 to 80°C.

HAMER CODE	BRAND	CAT. CODE	COLOUR	WIDTH x LENGTH	PACK SIZE
HP600	Hamer	HP600	Black	19mm x 20m	10
HP610	Hamer	HP610	Red	19mm x 20m	10
HP620	Hamer	HP620	Yellow	19mm x 20m	10
HP630	Hamer	HP630	Blue	19mm x 20m	10
HP640	Hamer	HP640	Green	19mm x 20m	10
HP650	Hamer	HP650	White	19mm x 20m	10
HP670	Hamer	HP670	Rainbow (2x white, blue, red, green & black)	19mm x 20m	10
HP900	Hamer	HP900	Black	50mm x 30m	1
HP950	Hamer	HP950	Black	72mm x 30m	1



INSULATION TAPES



HP900

Plugbox - Surge Protected Metal Cased

- Spikefree® robust metal cased, surge protected plugboxes are easily wall mountable. Two versions available, 4x (CMC125J) or 6x (CMC135J) outlets.
- Excellent for workshops, office or home - indoor use. 230-240V AC, 50Hz, 2400W total.
- 10Amp socket outlets with one wide spaced for adaptors.
- 10Amp resettable overload circuit breaker.
- Single surge and spike protected metal oxide varistor (MOV) protection (6000A/175 Joule max. surge current). RFI and EMI filter.
- Illuminated On/Off master switch.
- Easily wall mountable.
- For use indoors and in dry locations. 1.2m AC power cord.
- Not for use with aquariums or other water related products.
- Unit contains sensitive voltage limiting devices - Test @ 250V only.

HAMER CODE	BRAND	CAT. CODE	CASE	SOCKET OUTLETS	INPUT VOLTAGE	SURGE PROTECTION	TOTAL ENERGY ABSORPTION	PROTECTION MODE	AC CORD LENGTH
CMC125J	Spikefree	CMC125J	Metal	4	230-240V AC 50Hz	1x MOV @ 6000A max.	175 J	PN	1.2m
CMC135J	Spikefree	CMC135J	Metal	6	230-240V AC 50Hz	1x MOV @ 6000A max.	175 J	PN	1.2m



CMC125J



CMC135J

HVAC Equipment - Polyslab® AC Mounting Base

- Polyslab® external air conditioner mounting base.
- Australian made from 100% recycled materials, makes it the best alternative to heavy concrete pads.
- Medium Polyslab® weighs in at only 2.4kg, a concrete slab of similar dimensions will weigh upwards of 49kg.
- Eco-friendly.
- UV resistant.
- Impact resistant.
- Ultra lightweight.
- Supports all split system air conditioning units.
- Fix equipment down without the risk of splitting a slab when drilling.

CODE	BRAND	CAT. CODE	DIMENSIONS L x W x D	WEIGHT	RATED LOAD CAPACITY
PS1130	Polyslab	PSAC-LGE	1130mm x 650mm x 51mm	6.5kg	120kg
PS465	Polyslab	PSAC-MED	885mm x 465mm x 51mm	2.4kg	160kg
PS339	Polyslab	PSAC-SML	640mm x 340mm x 51mm	2.1kg	160kg



PS465

HVAC Equipment - Polybender® Internal Copper Tube Bender

- Polybender® has been designed to offer the installer fast, easy and quality 'kink-free' bends.
- The tool has been specifically engineered for use as an internal copper tube bender and can handle intense repetitive stress due to sharp bends with no negative impact on the tool's physical properties.
- As the tube is fully supported by a solid insert there simply isn't an option for kinking to occur.
- Perfect for rough-in installations where interference from other trade or site visitors all too often damages copper tube beyond repair costing significant time, money and frustration.
- Easy to use - just insert, bend and extract. Or leave in until other contractors are finished, then extract.
- Clean with mineral oil if necessary.

CODE	BRAND	CAT. CODE	SUITS INTERNAL DIAMETER	LENGTH
PB12	Evolve	PB12	1/2"	3mt
PB34	Evolve	PB34	3/4"	3mt
PB38	Evolve	PB38	3/8"	3mt
PB58	Evolve	PB58	5/8"	3mt



PB12

Wire Mesh Cable Tray - Rejiband®

- Pemsa Rejiband® electro-welded wire mesh cable tray with safety edge.
- Corrosion resistant electro-galvanised bichromate (Bycro BC) finish to EN ISO 2081, for indoor installation.
- CE marking - all Pemsa products in this catalogue comply with CE directives.
- Pemsa Rejiband® is manufactured to international standards: Cable Trays International Standard IEC 61537 (C5 resistance class finishes), Nema VE-1 Standard, UL Certified, E90 DIN 4102-12 Fire Resistance, AENOR N Mark IEC61537, IQNET ISO 9001, and are in compliance with directive: RoHS 2002/95/CE & WEEE 2012/19/UE.
- Other finishes and sizes available upon request*.

*MOQ may apply.



PE1120

HAMER CODE	BRAND	CAT. CODE	TRAY SERIES	DEPTH x WIDTH	TRAY LENGTH/ M	WEIGHT (KG/M)	MAX LOADING VALUES (KG/M)	LENGTHS/ PACK
PE1090	Pemsa	60221100	Pemsa Rejiband® 35	35mm x 100mm	3	0.547	53	8 Lengths
PE1095	Pemsa	60221200	Pemsa Rejiband® 35	35mm x 200mm	3	1.034	53	6 Lengths
PE1100	Pemsa	60221300	Pemsa Rejiband® 35	35mm x 300mm	3	1.401	53	6 Lengths
PE1105	Pemsa	60222060	Pemsa Rejiband® 60	60mm x 60mm	3	0.564	60	8 Lengths
PE1110	Pemsa	60222100	Pemsa Rejiband® 60	60mm x 100mm	3	0.799	60	8 Lengths
PE1115	Pemsa	60222150	Pemsa Rejiband® 60	60mm x 150mm	3	1.022	60	8 Lengths
PE1120	Pemsa	60222200	Pemsa Rejiband® 60	60mm x 200mm	3	1.326	85	6 Lengths
PE1125	Pemsa	60222300	Pemsa Rejiband® 60	60mm x 300mm	3	2.091	145	4 Lengths
PE1130	Pemsa	60222400	Pemsa Rejiband® 60	60mm x 400mm	3	2.565	145	2 Lengths
PE1135	Pemsa	60222500	Pemsa Rejiband® 60	60mm x 500mm	3	3.014	170	2 Lengths
PE1140	Pemsa	60222600	Pemsa Rejiband® 60	60mm x 600mm	3	3.468	200	2 Lengths
PE1150	Pemsa	60223300	Pemsa Rejiband® 100	100mm x 300mm	3	2.512	185	2 Lengths
PE1155	Pemsa	60223400	Pemsa Rejiband® 100	100mm x 400mm	3	2.962	185	2 Lengths

Wire Mesh Cable Tray - Wall Brackets

- Pemsa SPlus omega click wall brackets are designed to speed up the installation of Rejiband® electro-welded wire mesh cable tray.
- Corrosion resistant galvanised coated finish* to EN ISO 2081, for indoor installation.
- CE marking - all Pemsa products in this catalogue comply with CE directives.
- Pemsa Rejiband® is manufactured to international standards: Cable Trays International Standard IEC 61537 (C5 resistance class finishes), Nema VE-1 Standard, UL Certified, E90 DIN 4102-12 Fire Resistance, AENOR N Mark IEC61537, IQNET ISO 9001, and are in compliance with directive: RoHS 2002/95/CE & WEEE 2012/19/UE.
- Other finishes and sizes available upon request**.

*PE1350 to Bycro (BC) finish.

**MOQ may apply

HAMER CODE	BRAND	CAT. CODE	BRACKET SERIES	FITS TRAY WIDTH	MAX LOADING VALUES (KG/M)
PE1570	Pemsa	62031104	SPlus omega click wall bracket	100mm	60
PE1580	Pemsa	62031154	SPlus omega click wall bracket	150mm	60
PE1590	Pemsa	62031204	SPlus omega click wall bracket	200mm	60
PE1600	Pemsa	62031304	SPlus omega click wall bracket	300mm	38
PE1350	Pemsa	62021060	Side support 60 (for Rejiband® 60 tray)	100 - 150mm x 60H	



PE1600



PE1350

Wire Mesh Cable Tray - Ceiling Brackets

- Pemsa SPlus omega click ceiling brackets are designed to speed up the installation of Rejiband® electro-welded wire mesh cable tray.
- Corrosion resistant galvanised coated finish to EN ISO 2081, for indoor installation.
- CE marking - all Pemsa products in this catalogue comply with CE directives.
- Pemsa Rejiband® is manufactured to international standards: Cable Trays International Standard IEC 61537 (C5 resistance class finishes), Nema VE-1 Standard, UL Certified, E90 DIN 4102-12 Fire Resistance, AENOR N Mark IEC61537, IQNET ISO 9001, and are in compliance with directive: RoHS 2002/95/CE & WEEE 2012/19/UE.
- Other finishes and sizes available upon request*.
- *MOQ may apply.

HAMER CODE	BRAND	CAT. CODE	BRACKET SERIES	FITS TRAY WIDTH	MAX LOADING VALUES (KG/M)
PE1455	Pemsa	62022104	SPlus omega click ceiling bracket	100mm	33
PE1460	Pemsa	62022154	SPlus omega click ceiling bracket	150mm	36
PE1465	Pemsa	62022204	SPlus omega click ceiling bracket	200mm	29
PE1470	Pemsa	62022304	SPlus omega click ceiling bracket	300mm	25



PE1465

Wire Mesh Cable Tray - Suspension Brackets

- Pemsa SPlus omega click suspension brackets are designed to speed up the installation of Rejiband® electro-welded wire mesh cable tray.
- Corrosion resistant galvanised coated finish* to EN ISO 2081, for indoor installation.
- CE marking - all Pemsa products in this catalogue comply with CE directives.

- Pemsa Rejiband® is manufactured to international standards: Cable Trays International Standard IEC 61537 (C5 resistance class finishes), Nema VE-1 Standard, UL Certified, E90 DIN 4102-12 Fire Resistance, AENOR N Mark IEC61537, IQNET ISO 9001, and are in compliance with directive: RoHS 2002/95/CE & WEEE 2012/19/UE.
- Other finishes and sizes available upon request**.

*PE2330 & PE1350 to Bycro (BC) finish.

**MOQ may apply.

HAMER CODE	BRAND	CAT. CODE	TYPE OF BRACKET	FITS TRAY WIDTH	MAX LOADING VALUES (KG/M)
PE1885	Pemsa	63022204	SPlus omega click suspension bracket	200mm	160 x 1 rod
PE1890	Pemsa	63022304	SPlus omega click suspension bracket	300mm	160 x 1 rod
PE1895	Pemsa	63022404	SPlus omega click suspension bracket	400mm	390 x 2 rods
PE1900	Pemsa	63022504	SPlus omega click suspension bracket	500mm	390 x 2 rods
PE1905	Pemsa	63022604	SPlus omega click suspension bracket	600mm	390 x 2 rods
PE2330	Pemsa	67020046	Central hanging plate (requires 2)	100 - 200mm	80 x 1 rod
PE1350	Pemsa	62021060	Side support 60 (for Rejiband® 60 tray)	100 - 150mm	25 x 1 rod



PE1885



PE2330



PE1350

Wire Mesh Cable Tray - Connectors

- Pemsa connectors are designed to speed up the installation of Rejiband® electro-welded wire mesh cable tray.
- Superior electrical continuity.
- Corrosion resistant Bycro (BC) finish to EN ISO 2081, for indoor installation.

HAMER CODE	BRAND	CAT. CODE	TYPE OF CONNECTOR	FEATURES	SUITS TRAY TYPES
PE2055	Pemsa	64020061	Reinforced joint clamp	For heavy loads, 3pc	All Rejiband® trays & widths
PE2050	Pemsa	64020060	Part clamp	For heavy loads, 2pc	All Rejiband® trays & widths
PE2060	Pemsa	64020062	Connector plate	For heavy loads, 1pc	All Rejiband® trays & widths
PE2035	Pemsa	64020030	Click connector	Fast fitting, 1pc	Rejiband® 60, all widths
PE2230	Pemsa	67020053	Splice plate	For supporting tray bends, 1pc	All Rejiband® trays & widths
PE2040	Pemsa	64020041	Side joint plate	For heavy loads, 1pc	Rejiband® 60 & 100, all widths



PE2055



PE2050



PE2040



PE2035



PE2230




PE2060

Wire Mesh Cable Tray - Accessories

· Pemsa accessories for Rejiband® electro-welded wire mesh cable tray systems.

HAMER CODE	BRAND	CAT. CODE	TYPE	FEATURES	SUITS TRAY TYPES
PE1450	Pemsa	62026011	Universal bracket	For mounting accessories onto	All Rejiband® trays & widths
PE1445	Pemsa	62026010	Universal mini bracket	For mounting accessories onto	All Rejiband® trays & widths
PE2610	Pemsa	68000049	Wire end safety cap	Cover tray ends if cutting	All Rejiband® trays & widths
PE2185	Pemsa	67020039	Data outlet	Optimum bending radius protection	All Rejiband® trays, 100 - 600mm widths
PE2630	Pemsa	68000060	Floor foot	Raising tray in under floor installations, stackable	All Rejiband® trays & widths
PE2450	Pemsa	67030539	Stand off bracket 180mm	Technical wall or flooring standoff mounting	All Rejiband® trays & widths
PE2455	Pemsa	67030540	Stand off bracket 350mm	Technical wall or flooring standoff mounting	All Rejiband® trays & widths



rejiband®

Cable Management System

pemsa



Easy
Installation



High
Resistance



Connection
Possibilities

Conduit - LPU Metal with Polyurethane Outer Jacket

- Teaflex LPU - single seam metal conduit with black polyurethane outer jacket.
- Galvanised steel braid with double stapling, covered with black polyurethane.
- Very good mechanical strength (impact/compression).
- Good flexibility and fatigue strength.
- Self-extinguishing at low smoke development.
- Very good weather and UV resistance.
- Approvals: UNI CEI 11170-3 (RL4), EN 45545-2 (HL2), NF F 16-101 (F1/I3), RINA ELE143710CS.
- Use with Teaflex CM fittings.
- Made in Italy.

HAMER CODE	BRAND	CAT. CODE	NOMINAL SIZE (mm)	ROLL LENGTH (M)	INSIDE / OUTSIDE DIAMETER (mm)	MIN. INSIDE BEND RADIUS (mm)
FL3016	Teaflex	LPU12	16	50	17 / 12	60
FL3020	Teaflex	LPU15	20	50	15.5 / 21	70
FL3025	Teaflex	LPU20	25	50	20.5 / 27	90
FL3032	Teaflex	LPU27	32	25	26.5 / 34	120
FL3040	Teaflex	LPU35	40	20	35 / 41	150
FL3050	Teaflex	LPU40	50	20	40 / 48	250



FL3025

Fittings - LPU Conduit

- Teaflex CM - elbow & straight, male fixed thread, brass fittings with metallic continuity.
- CM fittings provide quick, economical and secure connection to metal conduits of the series LPU.
- The metal ferrule and a nylon ring provide excellent resistance to pull-out strength, vibration and total electric continuity.
- IP67 rated.
- Approvals: RU and RINA.
- Use with all Teaflex LPU series metal polyurethane coated conduits.
- Brass locknuts are optional extras - not supplied with straight or elbow fittings.



FL3525

HAMER CODE	BRAND	CAT. CODE	FITTING TYPE	NOMINAL SIZE (mm)	THREAD	IP RATING	FITS CONDUIT TYPE
FL3516	Teaflex	CMMF12M16	Straight	16	M16	IP67	LPU12
FL3518	Teaflex	CMMF12M20	Straight	16	M20	IP67	LPU12
FL3520	Teaflex	CMMF15M20	Straight	20	M20	IP67	LPU15
FL3525	Teaflex	CMMF20M25	Straight	25	M25	IP67	LPU20
FL3532	Teaflex	CMMF27M32	Straight	32	M32	IP67	LPU27
FL3540	Teaflex	CMMF35M40	Straight	40	M40	IP67	LPU35
FL3550	Teaflex	CMMF40M50	Straight	50	M50	IP67	LPU40



FL3325



FL2625

HAMER CODE	BRAND	CAT. CODE	FITTING TYPE	NOMINAL SIZE (mm)	THREAD	IP RATING	FITS CONDUIT TYPE
FL3320	Teaflex	CMCC15M20	Elbow	16	M20	IP67	LPU12
FL3325	Teaflex	CMCC20M25	Elbow	25	M25	IP67	LPU20
FL3332	Teaflex	CMCC27M32	Elbow	32	M32	IP67	LPU27
FL2616	Teaflex	DM16	Locknut	16	M16		LPU12
FL2620	Teaflex	DM20	Locknut	20	M20		LPU15
FL2625	Teaflex	DM25	Locknut	25	M25		LPU20
FL2632	Teaflex	DM32	Locknut	32	M32		LPU27
FL2640	Teaflex	DM40	Locknut	40	M40		LPU35
FL2650	Teaflex	DM50	Locknut	50	M50		LPU40

Conduit - ECO Flexible Nylon Corrugated

- Teaflex ECO - flexible black nylon corrugated conduit.
- The flexible conduit type ECO has good mechanical and flexibility characteristics.
- Made from high-grade, specially formulated polyamide 6, halogens and cadmium free.
- Good weather, UV, temperature resistance and mechanical strength (compression / impact).
- Self-extinguishing and halogen-free.
- Approvals: EN 61386-23, ABS Certif. n°618505, DNV Certif. n°E-10286, RINA Certif. n°ELE143710CS.
- Use with Teaflex ECO Jaw-fit system fittings.
- Made in Italy.



FL6016

HAMER CODE	BRAND	CAT. CODE	NOMINAL SIZE (mm)	ROLL LENGTH (M)	INSIDE / OUTSIDE DIAMETER (mm)	MIN INSIDE BEND RADIUS (mm)
FL6010	Teaflex	ECO07B	10	50	6.2 / 10	15
FL6013	Teaflex	ECO10B	13	50	9.6 / 13	20
FL6016	Teaflex	ECO12B	16	50	12 / 15.8	30
FL6021	Teaflex	ECO17B	21	50	16.2 / 21.2	40
FL6028	Teaflex	ECO23B	28	50	22.6 / 28.5	45
FL6034	Teaflex	ECO29B	34	50	29 / 34.5	55
FL6042	Teaflex	ECO36B	42	30	36.5 / 42.5	60
FL6054	Teaflex	ECO48B	54	30	48.5 / 54.5	70



CABLES. PROTECTED. ALWAYS

TEAFLEX[®]
INDUSTRIAL CABLE PROTECTION

Fittings - ECO Jaw-Fit

- Teaflex ECO Jaw-Fit fittings - elbow & straight, nylon male fixed thread.
- The ECO Jaw-Fit fittings provide quick, economical and secure connection to flexible nylon corrugated conduits of the series ECO.
- Perfectly adaptable to corrugated conduits, suitable for most heavy applications such as traction, impact, compression, torsion and vibration.
- IP66 rated, good UV resistance and secure patented locking system.
- Approvals: RU and RINA.
- Use with all Teaflex ECO series flexible nylon corrugated conduits.
- Locknuts are optional extras - not supplied with straight or elbow fittings.
- Optional extra: quick opening tool FL6220.



FL6128

HAMER CODE	BRAND	CAT. CODE	FITTING TYPE	NOMINAL SIZE (mm)	THREAD	IP RATING	FITS CONDUIT TYPE
FL6110	Teaflex	6BSM07M12	Straight	10	M12	IP66	ECO07B
FL6113	Teaflex	6BSM10M16	Straight	13	M16	IP66	ECO10B
FL6116	Teaflex	6BSM12M16	Straight	16	M16	IP66	ECO12B
FL6121	Teaflex	6BSM17M20	Straight	21	M20	IP66	ECO17B
FL6128	Teaflex	6BSM23M25	Straight	28	M25	IP66	ECO23B
FL6134	Teaflex	6BSM29M32	Straight	34	M32	IP66	ECO29B
FL6142	Teaflex	6BSM36M40	Straight	42	M40	IP66	ECO36B
FL6154	Teaflex	6BSM48M50	Straight	54	M50	IP66	ECO48B



FL6728



FL6628

HAMER CODE	BRAND	CAT. CODE	FITTING TYPE	NOMINAL SIZE (mm)	THREAD	IP RATING	FITS CONDUIT TYPE
FL6716	Teaflex	6BBN12M16	Elbow	16	M16	IP66	ECO12B
FL6721	Teaflex	6BBN17M20	Elbow	21	M20	IP66	ECO17B
FL6728	Teaflex	6BBN23M25	Elbow	28	M25	IP66	ECO23B
FL6734	Teaflex	6BBN29M32	Elbow	34	M32	IP66	ECO29B
FL6610	Teaflex	DPN12M	Locknut	10	M12		ECO07B
FL6616	Teaflex	DPN16M	Locknut	16	M16		ECO12B
FL6621	Teaflex	DPN20M	Locknut	21	M20		ECO17B
FL6628	Teaflex	DPN25M	Locknut	28	M25		ECO23B
FL6634	Teaflex	DPN32M	Locknut	34	M32		ECO29B
FL6642	Teaflex	DPN40M	Locknut	42	M40		ECO36B
FL6654	Teaflex	DPN50M	Locknut	54	M50		ECO48B

Mounting Clamp - ECO Conduit

- Teaflex ECO nylon conduit mounting clamps - black.
- The ECO nylon clamps provide quick, economical and secure connection to flexible nylon corrugated conduits of the series ECO.
- One-piece tube clamp with integrated safety clip.
- Quick mounting.
- Especially suitable for reverse overhead installations.
- High grade of strain relief and good UV resistance.
- The safety clip can be easily reopened with a screwdriver.
- Use with all Teaflex ECO series flexible nylon corrugated conduits.



FL4128

HAMER CODE	BRAND	CAT. CODE	NOMINAL SIZE (mm)	W x L x H mm	MOUNTING HOLE DIAMETER (mm)	FITS CONDUIT TYPE
FL4110	Teaflex	BSC07	10	20 x 17 x 21.8	4	ECO07B
FL4113	Teaflex	BSC10	13	20 x 21 x 25.7	5	ECO10B
FL4116	Teaflex	BSC12	16	20 x 24 x 28.6	5	ECO12B
FL4121	Teaflex	BSC17	21	20 x 30 x 34.9	6	ECO17B
FL4128	Teaflex	BSC23	28	20 x 38 x 42.5	6	ECO23B
FL4134	Teaflex	BSC29	34	20 x 45 x 49	6	ECO29B
FL4144	Teaflex	BSC36	42	20 x 55 x 58	6	ECO36B

Conduit - GL PVC Flexible Light Wall

- Teaflex GL - spiral black PVC flexible light wall conduit.
- PVC stiff spiral shock-resistant with good resistance to tensile and compression strength.
- Temperature range: -6°C +60°C.
- Excellent resistance to atmospheric agents, oils and salt air.
- PVC material self-extinguishing.
- Approvals: RINA ELE143710CS.
- Use with Teaflex GLM fittings.
- Made in Italy.



FL8025

HAMER CODE	BRAND	CAT. CODE	NOMINAL SIZE (mm)	ROLL LENGTH (M)	INSIDE / OUTSIDE DIAMETER (mm)
FL8012	Teaflex	GL10N	12	30	10 / 14.7
FL8016	Teaflex	GL12N	16	30	12 / 16.4
FL8020	Teaflex	GL16N	20	30	16 / 20.7
FL8025	Teaflex	GL22N	25	30	22 / 27.7
FL8032	Teaflex	GL28N	32	30	28 / 33.5

Conduit - GP PVC Flexible Heavy Wall

- Teaflex GP - spiral black PVC flexible heavy wall conduit.
- PVC stiff spiral shock-resistant with high mechanical resistance to compression strength.
- Temperature range: -6°C +60°C.
- Excellent resistance to atmospheric agents, oils and salt air.
- PVC material self-extinguishing.
- Approvals; RINA ELE143710CS.
- Use with Teaflex GLM fittings.
- Made in Italy.



FL7025

HAMER CODE	BRAND	CAT. CODE	NOMINAL SIZE (mm)	ROLL LENGTH (M)	INSIDE / OUTSIDE DIAMETER (mm)	MIN INSIDE BEND RADIUS (mm)
FL7012	Teaflex	GP10N	12	30	10 / 14	25
FL7016	Teaflex	GP12N	16	30	12 / 16	30
FL7020	Teaflex	GP16N	20	30	16 / 20.6	40
FL7025	Teaflex	GP22N	25	30	22 / 27.2	55
FL7032	Teaflex	GP28N	32	30	28 / 33.5	70

Fittings - GLM for PVC Conduits

- GLM - revolving self-locking fitting made of black PVC for the GL and GP PVC conduits.
- The GLM fittings provide quick, economical and secure connection to flexible PVC spiral conduits.
- The pipe-fitting can be, according to the user's needs, either revolving or fixed.
- Temperature range: -6°C +60°C.
- IP rating IP65.
- PVC material self-extinguishing.
- Approvals: CEI EN 61386 - 1 2008.
- Use with all Teaflex GL & GP PVC spiral conduits.



FL8532

HAMER CODE	BRAND	CAT. CODE	NOMINAL SIZE (mm)	THREAD	IP RATING	FITS CONDUIT TYPE
FL8512	Teaflex	GLMN10M12	12	M12	IP65	GL & GP 10N
FL8516	Teaflex	GLMN12M16	16	M16	IP65	GL & GP 12N
FL8520	Teaflex	GLMN16M20	20	M20	IP65	GL & GP 16N
FL8525	Teaflex	GLMN22M25	25	M25	IP65	GL & GP 22N
FL8532	Teaflex	GLMN28M32	32	M32	IP65	GL & GP 28N

polybender



Easy 'kink-free' bends in three simple steps:




STEP 1 - Insert Polybender past the desired bend point



STEP 2 - Bend the pipe to where it needs to be



STEP 3 - Extract and finish connection



About Polybender

Polybender has been designed to offer installers fast, easy kink-free installation of copper tubing. It can handle the stress of sharp bends without compromising future performance. Polybender will provide fast and effective bends time and time again.

- **Kink-free bends time and time again.**
- **Perfect for rough-in installations where interference from other trade or site visitors often damages copper tube.**
- **Easy to remove and reuse.**
- **Available in 3/8", 3/4", 1/2" and 5/8" diameters, all 3m in length.**

HAMER CODE	CAT. CODE	PAGE
CMC125J	CMC125J	37
CMC135J	CMC135J	37
DY0910	SD40910	28
DY0913	SD40913	27
DY0918	SD40918	27
DY1010	SD45010	28
DY1013	SD45013	27
DY1014	SD45014	28
DY1015	SD45015	28
DY1017	SD45017	28
DY1018	SD45018	27
DY1020	SD45020	28
DY1021	SD45021	28
DY1759398	1759398	12
DY18051	18051	11
DY18052	18052	11
DY18053	18053	11
DY18054	18054	11
DY1805435	1805435	10
DY1805436	1805436	10
DY1805437	1805437	10
DY1805440	1805440	9
DY1805442	1805442	9
DY18055	18055	11
DY18056	18056	11
DY18057	18057	11
DY18058	18058	11
DY18443	18443	10
DY18444	18444	10
DY18445	18445	10
DY18482	18482	9
DY18483	18483	9
DY18484	18484	9
DY18485	18485	9
DY18486	18486	9
DY18487	18487	9
DY18488	18488	8
DY18489	18489	8
DY18490	18490	8
DY18491	18491	8
DY1868665	1868665	16

HAMER CODE	CAT. CODE	PAGE
DY1868666	1868666	16
DY1868667	1868667	16
DY1868668	1868668	16
DY1868669	1868669	16
DY1868670	1868670	16
DY1868701	1868701	16
DY1868702	1868702	16
DY1868703	1868703	16
DY1868704	1868704	17
DY1868705	1868705	17
DY1868706	1868706	17
DY1868707	1868707	17
DY1868708	1868708	17
DY1868709	1868709	17
DY1868710	1868710	17
DY1868711	1868711	17
DY1868712	1868712	17
DY1868713	1868713	18
DY1868714	1868714	18
DY1868715	1868715	18
DY1868716	1868716	18
DY1868717	1868717	19
DY1868718	1868718	19
DY1868719	1868719	19
DY1868720	1868720	19
DY1868731	1868731	19
DY1868732	1868732	19
DY1868733	1868733	19
DY1868734	1868734	19
DY1868735	1868735	20
DY1868736	1868736	20
DY1868737	1868737	20
DY1868738	1868738	20
DY1868739	1868739	20
DY1868740	1868740	20
DY1868741	1868741	21
DY1868742	1868742	21
DY1868743	1868743	21
DY1868744	1868744	21
DY1868745	1868745	21
DY1868746	1868746	21

HAMER CODE	CAT. CODE	PAGE
DY1868747	1868747	21
DY1868748	1868748	21
DY1868749	1868749	21
DY1868750	1868750	21
DY1868751	1868751	21
DY1868752	1868752	21
DY1868753	1868753	21
DY1868754	1868754	22
DY1868755	1868755	22
DY1868756	1868756	22
DY1868757	1868757	22
DY1868758	1868758	22
DY1868759	1868759	22
DY1868760	1868760	22
DY1868761	1868761	22
DY1868762	1868762	22
DY1868763	1868763	22
DY1868764	1868764	22
DY1868765	1868765	22
DY1868766	1868766	22
DY1868767	1868767	22
DY1868768	1868768	22
DY1868769	1868769	22
DY1868770	1868770	22
DY1868771	1868771	22
DY1868772	1868772	22
DY1868773	1868773	22
DY1868774	1868774	22
DY1868775	1868775	22
DY1868776	1868776	22
DY1868777	1868777	22
DY1868778	1868778	22
DY1868779	1868779	22
DY1868780	1868780	23
DY1868781	1868781	23
DY1868782	1868782	23
DY1868783	1868783	23
DY1868784	1868784	23
DY1868785	1868785	23
DY1868786	1868786	23
DY1868787	1868787	23

HAMER CODE	CAT. CODE	PAGE
DY1868788	1868788	23
DY1868789	1868789	23
DY1868790	1868790	23
DY1868791	1868791	23
DY1868792	1868792	23
DY1868793	1868793	23
DY1868794	1868794	23
DY1868795	1868795	23
DY1868796	1868796	23
DY1868797	1868797	23
DY1868798	1868798	23
DY1868799	1868799	23
DY1868800	1868800	23
DY1868801	1868801	23
DY1868802	1868802	23
DY1868803	1868803	23
DY1868804	1868804	23
DY1868805	1868805	23
DY1868806	1868806	24
DY1868807	1868807	24
DY1868808	1868808	24
DY1868809	1868809	19
DY1868810	1868810	19
DY1868811	1868811	19
DY1868812	1868812	19
DY1889481	XTL 300	14
DY1889482	XTL 300 Kit	14
DY1889483	XTL 500 Kit	15
DY1908552	1908552	25
DY1908553	1908553	25
DY1908554	1908554	25
DY1908555	1908555	25
DY1908556	1908556	25
DY1908557	1908557	25
DY1908558	1908558	25
DY301241	SD301241	5
DY301242	SD301242	5
DY3613	SD43613	27
DY4200	4200	6
DY4290758	4290758	12
DY5200K	5200K	7

HAMER CODE	CAT. CODE	PAGE
DY5803	SD45803	27
DY5805	SD45805	28
DY5808	SD45808	27
DY5811	SD45811	28
DY622289	622289	9
DY622290	622290	9
DYM1011	M1011	4
FL2616	DM16	49
FL2620	DM20	49
FL2625	DM25	49
FL2632	DM32	49
FL2640	DM40	49
FL2650	DM50	49
FL3016	LPU12	47
FL3020	LPU15	47
FL3025	LPU20	47
FL3032	LPU27	47
FL3040	LPU35	47
FL3050	LPU40	47
FL3320	CMCC15M20	49
FL3325	CMCC20M25	49
FL3332	CMCC27M32	49
FL3516	CMMF12M16	48
FL3518	CMMF12M20	48
FL3520	CMMF15M20	48
FL3525	CMMF20M25	48
FL3532	CMMF27M32	48
FL3540	CMMF35M40	48
FL3550	CMMF40M50	48
FL4110	BSC07	54
FL4113	BSC10	54
FL4116	BSC12	54
FL4121	BSC17	54
FL4128	BSC23	54
FL4134	BSC29	54
FL4144	BSC36	54
FL6010	ECO07B	50
FL6013	ECO10B	50
FL6016	ECO12B	50
FL6021	ECO17B	50
FL6028	ECO23B	50

HAMER CODE	CAT. CODE	PAGE
FL6034	ECO29B	50
FL6042	ECO36B	50
FL6054	ECO48B	50
FL6110	6BSM07M12	52
FL6113	6BSM10M16	52
FL6116	6BSM12M16	52
FL6121	6BSM17M20	52
FL6128	6BSM23M25	52
FL6134	6BSM29M32	52
FL6142	6BSM36M40	52
FL6154	6BSM48M50	52
FL6610	DPN12M	53
FL6616	DPN16M	53
FL6621	DPN20M	53
FL6628	DPN25M	53
FL6634	DPN32M	53
FL6642	DPN40M	53
FL6654	DPN50M	53
FL6716	6BBN12M16	53
FL6721	6BBN17M20	53
FL6728	6BBN23M25	53
FL6734	6BBN29M32	53
FL7012	GP10N	56
FL7016	GP12N	56
FL7020	GP16N	56
FL7025	GP22N	56
FL7032	GP28N	56
FL8012	GL10N	55
FL8016	GL12N	55
FL8020	GL16N	55
FL8025	GL22N	55
FL8032	GL28N	55
FL8512	GLMNI10M12	57
FL8516	GLMNI12M16	57
FL8520	GLMNI16M20	57
FL8525	GLMNI22M25	57
FL8532	GLMNI28M32	57
HCT102	H2P	35
HCT103	H3P	35
HCT104	H4P	35
HCT105	H5P	35

HAMER CODE	CAT. CODE	PAGE
HCT107	H7P	35
HCT115	H15P	35
HCT205	T18ROS.HG7P	32
HCT215	T18ROS.NA4P	32
HCT225	T18ROS.HL7P	32
HCT235	T18ROS.HO7P	32
HCT240	T18ROS.LKOX	32
HCT300	T18R	30
HCT305	T18R-W	31
HCT310	T18I	30
HCT315	T18L	30
HCT320	T18L-W	31
HCT330	T30R	30
HCT335	T30R-W	31
HCT340	T30LL	30
HCT343	T30LL-W	31
HCT350	T50R	30
HCT355	T50R-W	31
HCT370	T50L	30
HCT375	T50L-W	31
HCT380	T60R	30
HCT385	T60R-W	31
HCT400	T120R	30
HCT405	T120R-W	31
HCT410	T120M	30
HCT415	T120M-W	31
HCT425	T120L-W	31
HCT435	T150M-W	31
HCT540	LK5-W	31
HCT713	MB2	35
HCT715	MB3A	35
HCT720	MB4A	35
HCT730	MB5APT	35
HP600	HP600	36
HP610	HP610	36
HP620	HP620	36
HP630	HP630	36
HP640	HP640	36
HP650	HP650	36
HP670	HP670	36
HP900	HP900	36

HAMER CODE	CAT. CODE	PAGE
HP950	HP950	36
PB12	PB12	39
PB34	PB34	39
PB38	PB38	39
PB58	PB58	39
PE1090	60221100	40
PE1095	60221200	40
PE1100	60221300	40
PE1105	60222060	40
PE1110	60222100	40
PE1115	60222150	40
PE1120	60222200	40
PE1125	60222300	40
PE1130	60222400	40
PE1135	60222500	40
PE1140	60222600	40
PE1150	60223300	40
PE1155	60223400	40
PE1350	62021060	41
PE1350	62021060	43
PE1445	62026010	45
PE1450	62026011	45
PE1455	62022104	42
PE1460	62022154	42
PE1465	62022204	42
PE1470	62022304	42
PE1570	62031104	41
PE1580	62031154	41
PE1590	62031204	41
PE1600	62031304	41
PE1885	63022204	43
PE1890	63022304	43
PE1895	63022404	43
PE1900	63022504	43
PE1905	63022604	43
PE2035	64020030	44
PE2040	64020041	44
PE2050	64020060	44
PE2055	64020061	44
PE2060	64020062	44
PE2185	67020039	45

HAMER CODE	CAT. CODE	PAGE
PE2230	67020053	44
PE2330	67020046	43
PE2450	67030539	45
PE2455	67030540	45
PE2610	68000049	45
PE2630	68000060	45
PS1130	PSAC-LGE	38
PS339	PSAC-SML	38
PS465	PSAC-MED	38
SH0051	S30051	29
SH0063	S30063	29
SH6701	S36701	29
SH6703	S36703	29
SSCCTB12546	SSCCTB125X4.6	34
SSCCTB15046	SSCCTB150X4.6	34
SSCCTB20046	SSCCTB200X4.6	34
SSCCTB20079	SSCCTB200X7.9	34
SSCCTB26046	SSCCTB260X4.6	34
SSCCTB29046	SSCCTB290X4.6	34
SSCCTB29079	SSCCTB290X7.9	34
SSCCTB36046	SSCCTB360X4.6	34
SSCCTB36079	SSCCTB360X7.9	34
SSCCTB52046	SSCCTB520X4.6	34
SSCCTB52079	SSCCTB520X7.9	34
SSCCTB68046	SSCCTB680X4.6	34
SSCCTB68079	SSCCTB680X7.9	34
SSCCTB84046	SSCCTB840X4.6	34
SSCCTB84079	SSCCTB840X7.9	34
SST12546	SST125X4.6	33
SST15046	SST150X4.6	33
SST20046	SST200X4.6	33
SST20079	SST200X7.9	33
SST29079	SST290X7.9	33
SST36046	SST360X4.6	33
SST36079	SST360X7.9	33
SST52046	SST520X4.6	33
SST52079	SST520X7.9	33
SST68046	SST680X4.6	33
SST68079	SST680X7.9	33
SST84046	SST840X4.6	33
SST84079	SST840X7.9	33

CAT_CODE	HAMER_CODE	PAGE
4200	DY4200	6
18051	DY18051	11
18052	DY18052	11
18053	DY18053	11
18054	DY18054	11
18055	DY18055	11
18056	DY18056	11
18057	DY18057	11
18058	DY18058	11
18443	DY18443	10
18444	DY18444	10
18445	DY18445	10
18482	DY18482	9
18483	DY18483	9
18484	DY18484	9
18485	DY18485	9
18486	DY18486	9
18487	DY18487	9
18488	DY18488	8
18489	DY18489	8
18490	DY18490	8
18491	DY18491	8
622289	DY622289	9
622290	DY622290	9
1759398	DY1759398	12
1805435	DY1805435	10
1805436	DY1805436	10
1805437	DY1805437	10
1805440	DY1805440	9
1805442	DY1805442	9
1868665	DY1868665	16
1868666	DY1868666	16
1868667	DY1868667	16
1868668	DY1868668	16
1868669	DY1868669	16
1868670	DY1868670	16
1868701	DY1868701	16
1868702	DY1868702	16
1868703	DY1868703	16
1868704	DY1868704	17
1868705	DY1868705	17

CAT_CODE	HAMER_CODE	PAGE
1868706	DY1868706	17
1868707	DY1868707	17
1868708	DY1868708	17
1868709	DY1868709	17
1868710	DY1868710	17
1868711	DY1868711	17
1868712	DY1868712	17
1868713	DY1868713	18
1868714	DY1868714	18
1868715	DY1868715	18
1868716	DY1868716	18
1868717	DY1868717	19
1868718	DY1868718	19
1868719	DY1868719	19
1868720	DY1868720	19
1868731	DY1868731	19
1868732	DY1868732	19
1868733	DY1868733	19
1868734	DY1868734	19
1868735	DY1868735	20
1868736	DY1868736	20
1868737	DY1868737	20
1868738	DY1868738	20
1868739	DY1868739	20
1868740	DY1868740	20
1868741	DY1868741	21
1868742	DY1868742	21
1868743	DY1868743	21
1868744	DY1868744	21
1868745	DY1868745	21
1868746	DY1868746	21
1868747	DY1868747	21
1868748	DY1868748	21
1868749	DY1868749	21
1868750	DY1868750	21
1868751	DY1868751	21
1868752	DY1868752	21
1868753	DY1868753	21
1868754	DY1868754	22
1868755	DY1868755	22
1868756	DY1868756	22

CAT_CODE	HAMER_CODE	PAGE
1868757	DY1868757	22
1868758	DY1868758	22
1868759	DY1868759	22
1868760	DY1868760	22
1868761	DY1868761	22
1868762	DY1868762	22
1868763	DY1868763	22
1868764	DY1868764	22
1868765	DY1868765	22
1868766	DY1868766	22
1868767	DY1868767	22
1868768	DY1868768	22
1868769	DY1868769	22
1868770	DY1868770	22
1868771	DY1868771	22
1868772	DY1868772	22
1868773	DY1868773	22
1868774	DY1868774	22
1868775	DY1868775	22
1868776	DY1868776	22
1868777	DY1868777	22
1868778	DY1868778	22
1868779	DY1868779	22
1868780	DY1868780	23
1868781	DY1868781	23
1868782	DY1868782	23
1868783	DY1868783	23
1868784	DY1868784	23
1868785	DY1868785	23
1868786	DY1868786	23
1868787	DY1868787	23
1868788	DY1868788	23
1868789	DY1868789	23
1868790	DY1868790	23
1868791	DY1868791	23
1868792	DY1868792	23
1868793	DY1868793	23
1868794	DY1868794	23
1868795	DY1868795	23
1868796	DY1868796	23
1868797	DY1868797	23

CAT. CODE	HAMER CODE	PAGE
1868798	DY1868798	23
1868799	DY1868799	23
1868800	DY1868800	23
1868801	DY1868801	23
1868802	DY1868802	23
1868803	DY1868803	23
1868804	DY1868804	23
1868805	DY1868805	23
1868806	DY1868806	24
1868807	DY1868807	24
1868808	DY1868808	24
1868809	DY1868809	19
1868810	DY1868810	19
1868811	DY1868811	19
1868812	DY1868812	19
1908552	DY1908552	25
1908553	DY1908553	25
1908554	DY1908554	25
1908555	DY1908555	25
1908556	DY1908556	25
1908557	DY1908557	25
1908558	DY1908558	25
4290758	DY4290758	12
60221100	PE1090	40
60221200	PE1095	40
60221300	PE1100	40
60222060	PE1105	40
60222100	PE1110	40
60222150	PE1115	40
60222200	PE1120	40
60222300	PE1125	40
60222400	PE1130	40
60222500	PE1135	40
60222600	PE1140	40
60223300	PE1150	40
60223400	PE1155	40
62021060	PE1350	41
62021060	PE1350	43
62022104	PE1455	42
62022154	PE1460	42
62022204	PE1465	42

CAT. CODE	HAMER CODE	PAGE
62022304	PE1470	42
62026010	PE1445	45
62026011	PE1450	45
62031104	PE1570	41
62031154	PE1580	41
62031204	PE1590	41
62031304	PE1600	41
63022204	PE1885	43
63022304	PE1890	43
63022404	PE1895	43
63022504	PE1900	43
63022604	PE1905	43
64020030	PE2035	44
64020041	PE2040	44
64020061	PE2050	44
64020061	PE2055	44
64020062	PE2060	44
67020039	PE2185	45
67020046	PE2330	43
67020053	PE2230	44
67030539	PE2450	45
67030540	PE2455	45
68000049	PE2610	45
68000060	PE2630	45
5200K	DY5200K	7
6BBN12M16	FL6716	53
6BBN17M20	FL6721	53
6BBN23M25	FL6728	53
6BBN29M32	FL6734	53
6BSM07M12	FL6110	52
6BSM10M16	FL6113	52
6BSM12M16	FL6116	52
6BSM17M20	FL6121	52
6BSM23M25	FL6128	52
6BSM29M32	FL6134	52
6BSM36M40	FL6142	52
6BSM48M50	FL6154	52
BSC07	FL4110	54
BSC10	FL4113	54
BSC12	FL4116	54
BSC17	FL4121	54

CAT. CODE	HAMER CODE	PAGE
BSC23	FL4128	54
BSC29	FL4134	54
BSC36	FL4144	54
CMC125J	CMC125J	37
CMC135J	CMC135J	37
CMCC15M20	FL3320	49
CMCC20M25	FL3325	49
CMCC27M32	FL3332	49
CMMF12M16	FL3516	48
CMMF12M20	FL3518	48
CMMF15M20	FL3520	48
CMMF20M25	FL3525	48
CMMF27M32	FL3532	48
CMMF35M40	FL3540	48
CMMF40M50	FL3550	48
DM16	FL2616	49
DM20	FL2620	49
DM25	FL2625	49
DM32	FL2632	49
DM40	FL2640	49
DM50	FL2650	49
DPN12M	FL6610	53
DPN16M	FL6616	53
DPN20M	FL6621	53
DPN25M	FL6628	53
DPN32M	FL6634	53
DPN40M	FL6642	53
DPN50M	FL6654	53
ECO07B	FL6010	50
ECO10B	FL6013	50
ECO12B	FL6016	50
ECO17B	FL6021	50
ECO23B	FL6028	50
ECO29B	FL6034	50
ECO36B	FL6042	50
ECO48B	FL6054	50
GL10N	FL8012	55
GL12N	FL8016	55
GL16N	FL8020	55
GL22N	FL8025	55
GL28N	FL8032	55

CAT. CODE	HAMER CODE	PAGE
GLMN10M12	FL8512	57
GLMN12M16	FL8516	57
GLMN16M20	FL8520	57
GLMN22M25	FL8525	57
GLMN28M32	FL8532	57
GP10N	FL7012	56
GP12N	FL7016	56
GP16N	FL7020	56
GP22N	FL7025	56
GP28N	FL7032	56
H15P	HCT115	35
H2P	HCT102	35
H3P	HCT103	35
H4P	HCT104	35
H5P	HCT105	35
H7P	HCT107	35
HP600	HP600	36
HP610	HP610	36
HP620	HP620	36
HP630	HP630	36
HP640	HP640	36
HP650	HP650	36
HP670	HP670	36
HP900	HP900	36
HP950	HP950	36
LK5-W	HCT540	31
LPU12	FL3016	47
LPU15	FL3020	47
LPU20	FL3025	47
LPU27	FL3032	47
LPU35	FL3040	47
LPU40	FL3050	47
M1011	DYM1011	4
MB2	HCT713	35
MB3A	HCT715	35
MB4A	HCT720	35
MB5APT	HCT730	35
PB12	PB12	39
PB34	PB34	39
PB38	PB38	39
PB58	PB58	39

CAT. CODE	HAMER CODE	PAGE
PSAC-LGE	PS1130	38
PSAC-MED	PS465	38
PSAC-SML	PS339	38
S30051	SH0051	29
S30063	SH0063	29
S36701	SH6701	29
S36703	SH6703	29
SD301241	DY301241	5
SD301242	DY301242	5
SD40910	DY0910	28
SD40913	DY0913	27
SD40918	DY0918	27
SD43613	DY3613	27
SD45010	DY1010	28
SD45013	DY1013	27
SD45014	DY1014	28
SD45015	DY1015	28
SD45017	DY1017	28
SD45018	DY1018	27
SD45020	DY1020	28
SD45021	DY1021	28
SD45803	DY5803	27
SD45805	DY5805	28
SD45808	DY5808	27
SD45811	DY5811	28
SSCCTB125X4.6	SSCCTB12546	34
SSCCTB150X4.6	SSCCTB15046	34
SSCCTB200X4.6	SSCCTB20046	34
SSCCTB200X7.9	SSCCTB20079	34
SSCCTB260X4.6	SSCCTB26046	34
SSCCTB290X4.6	SSCCTB29046	34
SSCCTB290X7.9	SSCCTB29079	34
SSCCTB360X4.6	SSCCTB36046	34
SSCCTB360X7.9	SSCCTB36079	34
SSCCTB520X4.6	SSCCTB52046	34
SSCCTB520X7.9	SSCCTB52079	34
SSCCTB680X4.6	SSCCTB68046	34
SSCCTB680X7.9	SSCCTB68079	34
SSCCTB840X4.6	SSCCTB84046	34
SSCCTB840X7.9	SSCCTB84079	34
SST125X4.6	SST12546	33

CAT. CODE	HAMER CODE	PAGE
SST150X4.6	SST15046	33
SST200X4.6	SST20046	33
SST200X7.9	SST20079	33
SST290X7.9	SST29079	33
SST360X4.6	SST36046	33
SST360X7.9	SST36079	33
SST520X4.6	SST52046	33
SST520X7.9	SST52079	33
SST680X4.6	SST68046	33
SST680X7.9	SST68079	33
SST840X4.6	SST84046	33
SST840X7.9	SST84079	33
T120L-W	HCT425	31
T120M	HCT410	30
T120M-W	HCT415	31
T120R	HCT400	30
T120R-W	HCT405	31
T150M-W	HCT435	31
T18I	HCT310	30
T18L	HCT315	30
T18L-W	HCT320	31
T18R	HCT300	30
T18R-W	HCT305	31
T18ROS.HG7P	HCT205	32
T18ROS.HL7P	HCT225	32
T18ROS.HO7P	HCT235	32
T18ROS.LKOX	HCT240	32
T18ROS.NA4P	HCT215	32
T30LL	HCT340	30
T30LL-W	HCT343	31
T30R	HCT330	30
T30R-W	HCT335	31
T50L	HCT370	30
T50L-W	HCT375	31
T50R	HCT350	30
T50R-W	HCT355	31
T60R	HCT380	30
T60R-W	HCT385	31
XTL 300	DY1889481	14
XTL 300 Kit	DY1889482	14
XTL 500 Kit	DY1889483	15

Freephone 0800 239 239
Fax 0800 231 231
Email sales@hamer.co.nz

hamer.co.nz