SUPPLIER DECLARATION OF CONFORMITY (SDOC) In accordance with ISO/IEC 17050-1:2004

Issuer details Nama" (r) New Zealand manufacture or importer): Marshine Investments (NZ) Lid ((i/a Hamm) Tatephone: 0800 239 239 New Zealand Company No. (if applicable): 96783 Email Address: Sales@ Bhamer.co.NZ Medium Risk Article - Details' (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable): LED Bulkhead light Model: ST/NSPBK Brand : SAL Samoda dataset: Sind : SAL Samoda dataset: Sind : SAL Samodard number and issue year: AS/NZS SZ modified No Sandard file: Samodard mumber and issue year: Luminaires - Part 2 1: Particular requirements - Fixed Luminaires - Part 1: General requirements and tests Sandard file: Sandard diffet Quernal addresses of any testing organisation or body No Name(a): SGS-CSTC Standards Technical Services (1) Address(es): Name(a): SGS-CSTC Standards Technical Services (1) Address(es): No.588 West Jindu Rd, Xinqiao Town, Songjiang District, 201612 Shanghai, Ch. Lid. Submit Head and manuber and addresses of any testing organisation or body Scs-CSTC Standards Technical Services (1) No.588 West Jindu Rd, Xinqia	SDoC Ide	ntification Number ¹ :	SE7089B	K			
Name* (of New Zeatand manufacturer or importer): Contact Address: Marshine Investments (NZ) Ltd (Va Hammy) 27 Dablel Place, Woolston, Christchurch, 8023 Tolephone: 0800 239 239 New Zealand Company Ne, (If applicable): 96793 Email Adrows: Sales @ Hamer.co.nz Madium Risk Article - Details* (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable): LED LED Bulkhoad light Karing : 220-240V-, 50Hz, 50W, IP65, Class I The Medium Risk Article listed above, fully complies: With cited standard(s), as listed": Standard number and issue year: AS/NZS 60598.1:2003 Edition / Amendment status: Edition / Amendment status: Standard number and issue year: AS/NZS 60598.1:2003 Edition / Amendment status: Edition / Amendment status: Standard number and issue year: AS/NZS 60598.1:2003 Edition / Amendment status: Edition / Amendment status: Standard fulle: Standard fulle: Luminaires - Part 2.1: Particular requirements - Fixed Luminaires - Part 1: General requirements and tests Standard fulle: AsN2S 22 modified Vrs No NA Adress(es): PO Box 972, Parramatta NSW 2124 Standard fulle: Standard fulle: Name(s): Energy & Utilities Unit, NSW Address(es): <td colspan="6"></td>							
Marshire Investments (NZ) Ltd (Via Hamer) Image: Company No. (1 epideable): (96793 Telephone: (0800 239 239 New Zealand Company No. (1 epideable): (9793) Email Address: (sales@hamer.co.nz Medium Risk Article - Details* (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable): Image: Company No. (1 epideable): ED Bulkhead light Modelium Risk Article listed above, fully complies: Modelium Risk Article listed above, fully complies: With clied standard(s), as listed*: Standard number and issue year: AS/NZS 60598.1.2003 Edition / Amendment status: Standard number and issue year: AS/NZS 60598.1.2003 Edition / Amendment status: Standard number and issue year: AS/NZS 60598.1.2003 Edition / Amendment status: Standard file: Standard file: Standard file: Luminaires - Part 1: General requirements and tests GR Complex with the Conformity Cooperation Agreement* Yes No Name(s): Energy & Utilities Unit, NSW Address(es): No (S83 West Jindu R), Xingiao Town, Songjiang District, 201612 Shanghai, Co., Lind. Name(s): SGS-CSTC Standards Technical Services (S Tanghai) Co., Lind. Address(es): No.588 West Jindu R, Xingiao Town, Songjiang District, 201612 Shanghai, Co., Lind.<							
Telephone: 0800 239 239 New Zealand Company No. (If applicable): 96793 Email Address: Sales @harmer.co.nz Medium Risk Article – Details ¹ (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable): LED Bulkhead light Model: SE7098 K Brand risk Article listed above, fully complies: With cide standard(s), as itsed*: Standard number and issue year: AS/NZS 60598.2.1:1998 Edition / Amendment status: Standard number and issue year: Standard tale: Luminaires - Part 2.1: Particular requirements - Fixed general purpose luminaires Standard tale: Luminaires - Part 1: General requirements and tests Name(s): Engine Company and addresses of any testing organisation or body Name and addresses of any testing organisation or body No. 588 West Jindu Rd, Xingiao Town, Songjiang District, 201612 hanghai, China Name(s): Energy & Utilines Unit, NSW Fair Trading Address(es): No.588 West Jindu Rd, Xingiao Town, Songjiang District, 201612 hanghai, China Reference to relevant test reports/certification and the issue date that show how compliance is achieved Sandard(s): Sets 412006335901 MI SHES1412006335901 MI SHES14120063							
Importance Importance Sales @hamer.co.nz Enail Addresse: Sales @hamer.co.nz Medium Risk Article - Details ¹ (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable): LED Buikhead light Magran : SAL Rating : 220-240V - 50H2,50W, IP65, Class I The Medium Risk Article listed above, fully complies: With cled standard(s), as listed': Standard number and issue year: AS/NZS 60598.2.1:1998 Standard number and issue year: AS/NZS 60598.1:2003 Edition / Amendment status: Standard fille: Luminaires - Part 2.1: Particular requirements - Fixed Luminaires - Part 1: General requirements and tests general purpose luminaires No NA Ø AS/NZS ZZ modified Yes No NA Ø Name(s): Energy & Utilities Unit, NSW Address(es): No / S8 Name(s): SGS-CST C standards Address(es): No.588 West Jindu Rd, Xingiao Town, Songjiang District, 201612 Shanghai, China Standardig or documentify used, to show how compliance Report Certification a choiceved Spen Orwing Status Status Association of the contrast reports/certification and the issue date that show how compliance is achieved Spen Orwing Status<					27 Dalziel Place, Woolston, Christchurch,8023		
Note could addresses Selse@hamrc.on.z Medium Risk Article – Detialis ² (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable): LED Bulkhead light Model: SF70898K Brand : SAL Rating : 220-240V50Hz,50W, IP65, Class I The Medium Risk Article listed above, fully complies: With cited standard(s), as listed ¹ : Standard number and issue year: AS/NZS 60598.2.1:1998 Standard number and issue year: AS/NZS 60598.1:2003 Editor / Amendment status: Standard number and issue year: Standard number and issue year: AS/NZS 60598.1:2003 Editor / Amendment status: Standard file: Luminaires - Part 2.1: Particular requirements - Fixed General purpose luminaires ASN2S 2Z modified Yes No NA Address(es): CR Complex with the Conformity Cooperation Agreement ⁶ Yes No Address(es): Name(s): SGS-CSTC Standards Standards: Reference to relevant test reports/certification and the issue date that show how compliance is achieved Standard officie Standard information: Reference to any management quality system involved. Address(es): CoS10530N SGS-CSTC Standards Cast 1:2014, AS/NZS Reformed to achieved Report Certification and the issue date that show how compliance is achieved Standard information?: Cast 1:2014, AS/NZS SGS-0110, STANZS SGS-02103) Test Report Issue dates(s): Interest test on bould as achieved. Report Certification of bournent is achieved. Cast 1:2014, AS/NZS SGS-02103) Test Report Subardard of the same dates(s): Interest and same state of the same dates(s): Interest Alizonal Samolary (system involved. Additional information?: Declaration (signed for and on behalf of) Name and posi							
Medium Risk Article – Details* (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable): LED Bulkhead light Model: SE708/BK Brand: SAL Rating : 220-240V50H2,50W, IP65, Class I The Medium Risk Article listed above, fully complies: With cited standard(a), as listed*: Standard number and issue year: AS/NZS 60598.2.1:1998 Edition / Amendment status: Standard number and issue year: Marking : 220-240V50H2,50W, IP65, Class I Edition / Amendment status: Standard number and issue year: Umminaires - Part 2.1: Particular requirements - Fixed General purpose luminaires ASNZS ZZ modified Yes No No NA AsNZS ZZ modified Yes No Name(s): Energy & Utilities Unit, NSW Fair Trading Address(es): No.588 West Jindu Rd, Xinqiao Town, Songjiang District, 201612 Shanghai, China Standard(j) or document requirement who wooropliance Reference to relevant test reports/certification and the issue date that show how compliance is achieve	New Zealand Company No. (if applicable): 96793			3			
LED Bulkhead light Model: SE7089BK Brand : SAL Rating : 220-240V -,50Hz,50W, IP65, Class I The Medium Risk Article listed above, fully complies: With cited standard(s), as listed ¹ : Standard number and issue year: AS/NZS 60598.2.1:1998 Edition / Amendment status:	Email Addr	ess: sales@hamer.c	o.nz				
Model: SE7089EK Brand : SAL Rating : 220-240V-,50Hz,50W, IP65, Class I The Medium Risk Article listed above, fully complies: With cited standard(s), as listed': Standard number and issue year: AS/NZS 60598.2.1:1998 Edition / Amendment status:	Medium F	Risk Article – Details ³ (Product nam	e, type, rating, brand	d, model, batch numbers, and serial numbers, as applicable):		
Brand: SAL Rating: 220-240V~,50Hz,50W, IP65, Class I The Medium Risk Article listed above, fully complies: With cited standard(s), as listed*: Standard number and issue year: AS/NZS 60598.2.1:1998 Edition / Amendment status: Edition / Amendment status: Standard title: Standard title: Luminaires - Part 2.1: Particular requirements - Fixed Luminaires - Part 1: General requirements and tests general purpose luminaires No NA ASNZS ZZ modified Yes No N/A Rese and addresses of any testing organisation or body No Name(s): Forery & Utilities Unit, NSW Address(es): Poincinal Services (Sonchards) co. Ltd. No.588 West Jindu Rd, Xinqiao Town, Songjiang District, 201612 Shanghai, China Standard(s) or document(s) used, to show how co	LED Bulkhead light						
Rating : 220-240V-,50Hz,50W, IP65, Class I The Medium Risk Article listed above, fully complies: With cited standard(s), as listed": Standard number and issue year: AS/NZS 60598.2.1:1998 Edition / Amendment status: Edition / Amendment status: Standard number and issue year: AS/NZS 60598.1:2003 Edition / Amendment status: Edition / Amendment status: Standard title: Luminaires - Part 2.1: Particular requirements - Fixed General purpose luminaires No N/A Ø AS/NZS ZZ modified Yes No N/A Ø OR Complies with the Conformity Cooperation Agreement [®] Yes No Ø N/A Ø Name(s): Energy & Utilities Unit, NSW Address(es): PO Box 972, Parramatta NSW 2124 Name(s): SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. No.588 West Jindu Rd, Xinqiao Town, Songjiang District, 201612 Shanghai, China Reference to relevant test reports/certification and the issue date that show how compliance is achieved Issue dates(s): Certificate (Cs/NZS 60598.2.1:2014, AS/NZS CS10590N SHES141200635901 SHES141200635901 SHES141200635901-M1 SHES141200635901-M1 SHES141200635901-M1 SHES141200635901-M2 29/01/2015 07/04/2015 Reference to any management quality system i							
With cited standard(s), as listed*: Standard number and issue year: AS/NZS 60598.2.1:1998 Edition / Amendment status: Edition / Amendment status: Standard number and issue year: AS/NZS 60598.2.1:003 Edition / Amendment status: Standard number and issue year: Standard title: Standard title: Luminaires - Part 2.1: Particular requirements - Fixed Luminaires - Part 1: General requirements and tests general purpose luminaires NA (A) AS/NZS ZZ modified Yes No NA (A) Astropy Signal Signature: Na			, IP65, Cla	ss I			
Standard number and issue year: AS/NZS 60598.2.1:1998 Edition / Amendment status: Edition / Amendment status: Standard title: Edition / Amendment status: Luminaires - Part 2.1: Particular requirements - Fixed Edition / Amendment status: general purpose luminaires Luminaires - Part 1: General requirements and tests AS/NZS ZZ modified Yes No NA AS/NZS ZZ modified Yes No N/A AS/NZS ZZ modified AS/NZS ZZ modified Yes No Names and addresses of any testing organisation or body Names(s): Energy & Utilities Unit, NSW Address(es): PO Box 972, Parramatta NSW 2124 Fair Trading Address(es): No. 588 West Jindu Rd, Xinqiao Town, Songjiang District, 201612 Shanghai, China Standard(s) or document(s) used, to show how compliance Reference to relevant test reports/certification and the issue date that show how compliance is achieved Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2013) Test Report Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2013) Test Report Standard(s) or document quality system involved: Additional information*: Declaration (signed for and on behalf of)	The Medi	um Risk Article listed a	above, fully	complies:			
Standard number and issue year: AS/NZS 60598.2.1:1998 Edition / Amendment status: Edition / Amendment status: Standard title: Edition / Amendment status: Luminaires - Part 2.1: Particular requirements - Fixed Edition / Amendment status: general purpose luminaires Luminaires - Part 1: General requirements and tests AS/NZS ZZ modified Yes No NA AS/NZS ZZ modified Yes No N/A AS/NZS ZZ modified AS/NZS ZZ modified Yes No Names and addresses of any testing organisation or body Names(s): Energy & Utilities Unit, NSW Address(es): PO Box 972, Parramatta NSW 2124 Fair Trading Address(es): No. 588 West Jindu Rd, Xinqiao Town, Songjiang District, 201612 Shanghai, China Standard(s) or document(s) used, to show how compliance Reference to relevant test reports/certification and the issue date that show how compliance is achieved Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2013) Test Report Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2013) Test Report Standard(s) or document quality system involved: Additional information*: Declaration (signed for and on behalf of)	With cited	standard(s), as listed ⁴ :					
Standard title: Luminaires - Part 2.1: Particular requirements - Fixed general purpose luminaires Luminaires - Part 1: General requirements and tests AS/NZS ZZ modified Yes No N/A AS/NZS ZZ modified Yes No N/A AS/NZS ZZ modified Yes No N/A OR Complies with the Conformity Cooperation Agreement ⁶ Yes No N/A Names and addresses of any testing organisation or body No Address(es): PO Box 972, Parramatta NSW 2124 Name(s): Energy & Utilities Unit, NSW Address(es): PO Box 972, Parramatta NSW 2124 Name(s): SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. No.588 West Jindu Rd, Xinqiao Town, Songjiang District, 201612 Shanghai, China Reference to relevant test reports/certification and the issue date that show how compliance is achieved Issue dates(s): reference N'(s): Issue dates(s): 20202/2016 Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2013) CS10590N 02/02/2016 SHES141200635901-M1 SHES141200635901-M2 29/01/2015 07/04/2015 Reference to any management quality system involved:			AS/NZS 60	0598.2.1:1998	Standard number and issue year: AS/NZS 60598.1:2003		
Luminaires - Part 2.1: Particular requirements - Fixed general purpose luminaires AS/NZS ZZ modified Yes No N/A OR Comples with the Conformity Cooperation Agreement ⁵ Yes Names and addresses of any testing organisation or body Name(s): Energy & Utilities Unit, NSW Fair Trading Address(es): No.588 West Jindu Rd, Xinqiao Town, Songjiang District, 201612 Shanghai, China Second Services (Shanghai) Co., Ltd. Address(es): Reference to relevant test reports/certification and the issue date that show how compliance is achieved Standard(s) or document(s) used, to show how compliance Report Certification or Document reference N°(s): CS10590N SHES141200635901 02/02/2016 SHES141200635901-M1 29/01/2015 07/04/2015 SHES141200635901-M2 N/A/2015 07/04/2015 Reference to any management quality system involved: Additional information ⁶ : Additional information ⁶ : Dec	Edition / An	nendment status:			Edition / Amendment status:		
general purpose luminaires AS/NZS ZZ modified Yes No AS/NZS ZZ modified Yes No OR Complies with the Conformity Cooperation Agreement ⁶ Yes No Names and addresses of any testing organisation or body Name(s): Energy & Utilities Unit, NSW Fair Trading Name(s): SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Reference to relevant test reports/certification and the issue date that show how compliance is achieved Standard(s) or document(s) used, to show how compliance Report Certification or Document Vitb cited standard is achieved: Certificate (AS/NZS 60598.2.1:2014, AS/NZS CoS10590N 02/02/2016 SHES141200635901 SHES141200635901 SHES141200635901-M1 SHES141200635901-M1 <td>Standard ti</td> <td>tle:</td> <td></td> <td></td> <td>Standard title:</td>	Standard ti	tle:			Standard title:		
AS/NZS ZZ modified Yes No N/A A AS/NZS ZZ modified Yes No N/A A OR Complies with the Conformity Cooperation Agreement ⁶ Yes No A Names and addresses of any testing organisation or body No A Name(s): Energy & Utilities Unit, NSW Address(es): PO Box 972, Parramatta NSW 2124 Name(s): SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Address(es): No.588 West Jindu Rd, Xinqiao Town, Songjiang District, 201612 Shanghai, China Reference to relevant test reports/certification and the issue date that show how compliance is achieved Report Certification or Document reference N [*] (s): Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2013) CS10590N 02/02/2016 SHES141200635901 SHES141200635901 29/01/2015 SHES141200635901-M1 SHES141200635901-M1 11/06/2015 Reference to any management quality system involved: Additional information ⁴ : Additional information ⁴ : Declaration (signed for and on behalf of) Signature: Signature:			ılar require	ments - Fixed	Luminaires - Part 1: General requirements and tests		
OR Complies with the Conformity Cooperation Agreement ^a Yes No Names and addresses of any testing organisation or body Name(s): Energy & Utilities Unit, NSW Address(es): PO Box 972, Parramatta NSW 2124 Name(s): SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Address(es): No.588 West Jindu Rd, Xinqiao Town, Songjiang District, 201612 Shanghai, China Reference to relevant test reports/certification and the issue date that show how compliance is achieved Issue dates(s): Standard(s) or document(s) used, to show how compliance Report Certification or Document reference N ^e (s): Issue dates(s): Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2013) Test Report CS10590N 02/02/2016 29/01/2015 07/04/2015 Reference to any management quality system involved:	general	purpose iuminaires					
OR Complies with the Conformity Cooperation Agreement ^a Yes No Names and addresses of any testing organisation or body Name(s): Energy & Utilities Unit, NSW Address(es): PO Box 972, Parramatta NSW 2124 Name(s): SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Address(es): No.588 West Jindu Rd, Xinqiao Town, Songjiang District, 201612 Shanghai, China Reference to relevant test reports/certification and the issue date that show how compliance is achieved Issue dates(s): Standard(s) or document(s) used, to show how compliance Report Certification or Document reference N ^e (s): Issue dates(s): Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2013) Test Report CS10590N 02/02/2016 29/01/2015 07/04/2015 Reference to any management quality system involved:							
Names and addresses of any testing organisation or body Name(s): Energy & Utilities Unit, NSW Fair Trading Name(s): Energy & Utilities Unit, NSW Fair Trading Name(s): SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Reference to relevant test reports/certification and the issue date that show how compliance is achieved Standard(s) or document(s) used, to show how compliance with cited standard is achieved: Report Certification or Document reference N'(s): Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2013) Test Report SHES141200635901 SHES141200635901-M1 SHES141200635901-M1 SHES141200635901-M1 02/02/2016 02/02/2015 07/04/2015 11/06/2015 Reference to any management quality system involved:	AS/NZS ZZ	modified Yes	No 🔄	N/A 🔀	AS/NZS ZZ modified Yes No N/A 🔀		
Name(s): Energy & Utilities Unit, NSW Fair Trading Address(es): PO Box 972, Parramatta NSW 2124 Name(s): SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Address(es): No.588 West Jindu Rd, Xinqiao Town, Songjiang District, 201612 Shanghai, China Reference to relevant test reports/certification and the issue date that show how compliance is achieved Report Certification or Document reference N°(s): Issue dates(s): Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2013) Test Report CS10590N 02/02/2016 29/01/2015 07/04/2015 Reference to any management quality system involved: Energence Energence Additional information [®] : Energence Signature:	OR Compl	ies with the Conformity C	ooperation A	. greement ⁵ Yes [No 🛛		
Fair Trading Address(es): No.588 West Jindu Rd, Xinqiao Town, Songjiang District, 201612 Shanghai, China Reference to relevant test reports/certification and the issue date that show how compliance is achieved Report Certification or Document issue dates(s): Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2014, AS/NZS 60598.1:2013) Resport Certification or Document issue dates(s): Reference to any management quality system involved: SHES141200635901 SHES141200635901-M1 SHES141200635901-M1 SHES141200635901-M1 Reference to any management quality system involved: Meterence Additional information ⁶ : Signature:	Names ar	nd addresses of any te	sting orgar	isation or body			
Technical Services (Shanghai) Co., Ltd. 201612 Shanghai, China Reference to relevant test reports/certification and the issue date that show how compliance is achieved Standard(s) or document(s) used, to show how compliance with cited standard is achieved: Report Certification or Document reference N°(s): Issue dates(s): Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2013) RES141200635901 SHES141200635901 SHES141200635901 SHES141200635901 SHES141200635901 -M1 SHES141200635901 -M2 02/02/2016 29/01/2015 07/04/2015 11/06/2015 Reference to any management quality system involved:	Name(s):		gy & Utilities Unit, NSW Address(es): PC		PO Box 972, Parramatta NSW 2124		
Technical Services (Shanghai) Co., Ltd. 201612 Shanghai, China Reference to relevant test reports/certification and the issue date that show how compliance is achieved Standard(s) or document(s) used, to show how compliance with cited standard is achieved: Report Certification or Document reference N°(s): Issue dates(s): Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2013) RES141200635901 SHES141200635901 SHES141200635901 SHES141200635901 SHES141200635901 -M1 SHES141200635901 -M2 02/02/2016 29/01/2015 07/04/2015 11/06/2015 Reference to any management quality system involved:							
Shanghai) Co., Ltd. Reference to relevant test reports/certification and the issue date that show how compliance is achieved Standard(s) or document(s) used, to show how compliance with cited standard is achieved: Report Certification or Document reference N°(s): Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2013) 02/02/2016 Test Report SHES141200635901 SHES141200635901-M1 29/01/2015 O7/04/2015 07/04/2015 Reference to any management quality system involved: Image: Comparison of the issue of the	Name(s):			Address(es):			
Standard(s) or document(s) used, to show how compliance with cited standard is achieved: Report Certification or Document reference N°(s): Issue dates(s): Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2013) O2/02/2016 9/01/2015 Test Report SHES141200635901 29/01/2015 SHES141200635901-M1 O7/04/2015 11/06/2015 Reference to any management quality system involved: Issue dates of the system involved: Issue dates of the system involved: Additional information ⁶ : Issue dates of the system? Signature: Issue dates of the system involved:			l		201612 Shanghai, China		
Standard(s) or document(s) used, to show how compliance with cited standard is achieved: Report Certification or Document reference N°(s): Issue dates(s): Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2013) O2/02/2016 9/01/2015 Test Report SHES141200635901 29/01/2015 SHES141200635901-M1 O7/04/2015 11/06/2015 Reference to any management quality system involved: Image: Certification (signed for and on behalf of) Image: Certification (signature: Declaration (signed for and on behalf of) Signature: Signature:							
with cited standard is achieved: reference N°(s): 02/02/2016 Certificate (AS/NZS 60598.2.1:2014, AS/NZS 60598.1:2013) 02/02/2016 29/01/2015 Test Report SHES141200635901 29/01/2015 07/04/2015 Reference to any management quality system involved: Involved: Involved: Involved: Additional information ⁶ : Involved: Involved: Involved: Involved: Name and position as authorized by the issuer ⁷ : Signature: Signature: Involved:	Standard(s	Standard(s) or document(s) used, to show how compliance Report Certification or Document Issue dates(s):					
60598.1:2013) SHES141200635901 29/01/2015 Test Report SHES141200635901-M1 07/04/2015 SHES141200635901-M2 11/06/2015 Reference to any management quality system involved:	with cited s	or document(s) used, to show how compliance andard is achieved: e (AS/NZS 60598.2.1:2014, AS/NZS Report Certification or Document reference N°(s): CS10590N 02/02/2016					
Test Report SHES141200635901 SHES141200635901-M1 SHES141200635901-M2 29/01/2015 07/04/2015 11/06/2015 Reference to any management quality system involved:	Certificate (AS/NZS 60598.2.1:2014, AS/NZS			S/NZS	CS10590N 02/02/2016		
SHES141200635901-M2 11/06/2015 Reference to any management quality system involved: Additional information ⁶ : Declaration (signed for and on behalf of) Name and position as authorized by the issuer ⁷ : Signature:							
Reference to any management quality system involved: Additional information ⁶ : Declaration (signed for and on behalf of) Name and position as authorized by the issuer ⁷ : Signature:							
Additional information ⁶ : Declaration (signed for and on behalf of) Name and position as authorized by the issuer ⁷ : Signature:	Reference	to any management quality	system invol	/ed:			
Name and position as authorized by the issuer ⁷ : Signature:			. ,	- ···· [
Name and position as authorized by the issuer ⁷ : Signature:							
	Declaration	ON (signed for and on beh	nalf of)				
Stave Sneed (National Sales Manager)	Name and	position as authorized by	the issuer7:		Signature:		
Steve Shoad (Ivational Sales Manager)	Steve	Snoad (National Sale	s Manager	·)			
Issuer Identification (as affixed to the article):	Issuer Identification (as affixed to the article):				hand		
SAL	SAL				The cont		
Date:					Date:		
25/00/2020					25/09/2020		

Notes for completion

- 1. Every declaration of conformity should be uniquely identified.
- 2. The responsible issuer must be unequivocally specified.
- 3. The "Article" must be unequivocally described so that the declaration of conformity may be related to the article in question. For mass-produced-products, it is not necessary to give individual serial numbers. Where variants of an article are to be covered, these must be detailed.
- 4. The cited standard is the applicable specific safety standard exactly as it is cited in <u>Schedule 4 of the Electricity (Safety)</u> <u>Regulations 2010</u> or AS/NZS 3820, at the date that the declaration is signed. Where a valid Approval exists for a product issued by an Australian State Regulator Office (only), a copy of the Approval Certificate maybe used as evidence of compliance with the alternative AS/NZS 3820.
- 5. This is for products imported and offered for sale under the explicit control of the China "Conformity Cooperation Agreement" such product will be marked in accordance with that agreement and NZ suppliers of such product should obtain documentary evidence to support any claim that a product is covered by the agreement. Warning a product offered for sale that is marked in accordance with the CCA, that is not actually covered by the CCA is illegal and subject to a fixed Infringement Fee fine.
- 6. Text should appear here only if any limitation on the validity of the declaration of conformity and/or any additional information are given.
- 7. Full name and function of the signing person(s) authorised by the issuer's management to sign on its behalf should be given. The number of signatures, or equivalent, included will be the minimum determined by the legal form of the issuer's organisation.

Continuing validity of the declaration of conformity

The issuer of the declaration of conformity shall have procedures in place to ensure the continued conformity of the medium risk article, as delivered or accepted, with the stated requirements of the declaration of conformity.

The issuer of the declaration of conformity shall have procedures in place to re-evaluate the validity of the declaration of conformity, in the event of:-

- a) changes significantly affecting the article design or specification,
- b) changes to the standards which conformity of the article is stated,
- c) changes in the ownership or structure of management of the supplier,
- d) if relevant, or relevant information indicating that the article may no longer conform to the specified requirements.

Additional information regarding the declaration

"Issuer Identification" as affixed to the article: this marking should identify the issuer of the SDoC and may be for example in the form of a NZ GST N°, NZ Company N°, Unique NZ brand name or trademark, or SCN issued by Radio Spectrum Management (this number can be used, even if a C-tick is not required for the article), etc. Failure to mark a product with such unique identification may result in the issuer being held responsible for compliance of an article that may not have been supplied by the issuer, unless the issuer can prove otherwise! This is particularly relevant where the same or very similar model is or may be imported or manufactured, by other NZ suppliers.

A copy of the SDoC and test report(s) (certification) and/or other supporting compliance documentation must be available, if the supporting compliance documentation is not available directly from issuer, the name and address of from where it can be obtained from, must be provided by any supplier within the New Zealand supply chain. (Note: A copy of the SDoC and supporting documentation must be available within 10 working days after being asked to do so, by Energy Safety, a purchaser, or other consumer, of the article declared).

A person who sells or offers for sale, a declared medium risk article commits an offence, if at the time of sale or offer to sell, a valid declaration of conformity for the article has not been made, or the person cannot provide a copy of the declaration of conformity, along with the required supporting documentation, within the timeframe allowed. Penalties associated with a grade A offence are fines, not exceeding \$10,000 for an individual or \$50,000 for a body corporate (company) if successfully prosecuted, or a fixed infringement fee, of \$1,000 for an individual or \$3,000 for a body corporate (company).

See <u>listings of the current regulatory definitions for electrical equipment deemed to be medium risk articles</u>, on the Energy Safety website <u>www.energysafety.govt.nz</u>.

This form can be edited to increase any text box size, in order to insert more detail, than the current space allows, if required.

This is an example ISO/IEC 17050-1 form for a recognised declaration of conformity; any other form complying with the requirements of ISO/IEC 17050-1:2004, may be used instead, for the purpose of Electricity Regulation 83.

Nothing prevents this form being extended to act as an SDoC, for other regulatory purposes.

This completed form remains with the issuer as part of the documentation required as evidence of compliance DO NOT submit a copy of this form to Energy Safety unless specifically requested to do so.