



## NEW BONDI II SL7223 - 6W

IP65 LED 6 watt (DOWN) architectural wall luminaire

### Application

A decorative residential exterior or interior solution

### Design Specifications

- Aluminium body profile, powder coat black or silver finish
- Clear tempered glass cover
- Polycarbonate optical lens
- High efficiency SMD LED chips
- Integral constant current non-dimmable LED driver
- Downward light distribution only



### Technical Specification

Model No.	Description	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI
SL7223WW/BK	LED WALL LIGHT 6W IP65 3K BK	240	6	400	3000	80
SL7223WW/SL	LED WALL LIGHT 6W IP65 3K SL	240	6	400	3000	80


### Technical Specification

Model No.	Beam Angle (°)	Dim (mm)	Body Colour
SL7223WW/BK	38	104(W) x 157(H)	BLACK
SL7223WW/SL	38	104(W) x 157(H)	SILVER

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

## Dimensions

SL7223






## Photometric Data

Unit: cd C0/C180 \_\_\_\_\_ C90/C270 \_\_\_\_\_

### SL7223WW/BK at 3000K



## Product Images

