









HOT DEVIL TRADE MAP GAS CYLINDER 400G

HDTRD

FEATURES

- · Trade Map gas
- · Burn temp 2050°C
- · Disposable cylinder
- · CGA600 thread
- · Contains propylene (100%)
- · 400gm



HOT DEVIL PROPANE GAS CYLINDER 400G

HDPRO

FEATURES

- · Propane gas
- · Burn temp 1898°C
- · Disposable cylinder
- · CGA600 thread
- Contains propane (>95%) & propylene (<5%)
- · 400gm



HOT DEVIL PURIFIED 11X BUTANE GAS 300ML

HDGAS5

FEATURES

- Butane gas, purified
 11 times
- · Burn temp 1350°C
- · Disposable cylinder
- · Universal connection
- Contains approx. 60% butane, 36% isobutane, 2% propane
- Multiple adaptors included in the cap
- · 300ml
- · ISO9001



HOT DEVIL HAND SPARKER

HDSPK

FEATURES

 Flint striker for manual ignition of gas torches and oxy kits



HOT DEVIL ROSIN CORE SOLDER

HDRCS

FEATURES

- · Rosin core solder
- · Alloy lead free
- · 1.6mm diameter
- · 220c melting point
- Suitable for electrical soldering





HOT DEVIL PROPANE WEBBED FLAME **TORCH KIT**

HD7011

INCLUDES:

1 x pencil flame torch head, 1 x propane gas cylinder

FEATURES

- · Auto ignition
- · Portable/lightweight
- · Stainless steel burner tube
- · Adjustable gas flow
- · Anti flare feature
- · Burn temp 1898°C · CGA600 thread
- · Powered by propane

IDEAL FOR

- Soldering
- Thawing frozen pipes/locks
- · Loosening rusted nuts/ bolts/screws
- Brazing copper/mild steel/ aluminium
- · Heat shrink
- Automotive & heat applications



HOT DEVIL TRADE MAP SWIRL FLAME **TORCH KIT**

HD027

INCLUDES:

1 x swirl flame torch head, 1 x trade map gas cylinder

FEATURES

- Auto ignition
- Solid brass internals
- · Stainless steel adjustable burn- · pipes/locks
- er tube
- Hardened ABS handle for heat · nuts/bolts/screws
- & impact resistance · Swirl flame action transfers heat aluminium
- up to 40% faster
- Anti flare feature
- · Adjustable gas flow
- · Burn temp 2050°C
- · CGA600 thread

IDEAL FOR

- Silver soldering
- Thawing frozen

- · Loosening rusted
- · Brazing copper/mild steel/
- Heat shrink
- · General heating applications



HOT DEVIL TURBO TORCH KIT

HD030

INCLUDES:

1 x Turbo torch head with swirl flame action, 1 x trade map gas cylinder

FEATURES

- · Auto ignition
- Solid brass internals
- Brass adjustable burner tube
- Hardened ABS handle for heat & Loosening rusted impact resistance
- Swirl flame action transfers heat. Brazing copper/mild steel/ up to 40% faster
- · Anti flare feature
- Ignition lock on/off
- Adjustable gas flow
- Burn temp 2050°C
- CGA600 thread

IDEAL FOR

- · Silver soldering
- Thawing frozen
- pipes/locks
- · nuts/bolts/screws
- aluminium
- · Heat shrink
- · General heating applications



HOT DEVIL 3 IN 1 GAS TORCH AND SOLDERING IRON

HD908

FEATURES

- Auto ignition
- · 1 hour burn time*
- · Soldering temp. 400°C
- Hot blow temp. 500°C
- Torch temp. 1300°C

IDEAL FOR

- · Electrical soldering
- · Heat shrink
- · Circuitry soldering
- Wood burning
- De-soldering

* Not recommended to run the torch for more than 10 minutes at a time.



HOT DEVIL 10 PIECE SOLDERING IRON & BLOW TORCH KIT

HD1971K

INCLUDES:

1x blow torch, 1x soldering tip, 1 x hot knife tip, 1 x needle point tip 1 x double edge tip, 1 x engraving tip, 1 x solder head, 1 x heat shrink scoop, 1 x sturdy case

FEATURES

- Auto ignition
- · 1 hour burn time*
- · Soldering temp. 400°C
- Torch temp. 1300°C $\cdot~$ Blow tip temp. 500°

IDEAL FOR

- · Electrical soldering
- · Heat shrink
- · Wood burning
- · Foam cutting
- Engraving



^{*} Not recommended to run the torch for more than 10 minutes at a time.



HOT DEVIL PROFESSIONAL BLOW · Kit includes Blow Torch **TORCH**

HD910

FEATURES

- Head & Gas Cylinder
- · Auto ignition
- Lightweight and sturdy
- Adjustable flame control
- · Stainless steel burner tube
- · Torch temp. 1350°C
- · Anti flare feature

IDEAL FOR

- Soldering
- · Heat shrink
- Loosening rusted nuts/ bolts/screws
- Pre-heating metals
- · Not recommended to run the torch for more than 10 minutes at a time.

* Not recommended to run the torch for more than 10 minutes at a time.



HOT DEVIL UNIVERSAL GAS **REFILL 18ML COUNTER DISPLAY** (20 UNITS)

HDMG

FEATURES

- Butane gas, ultra refined
- Burn temp 1350°C
- · Disposable bottle
- · Universal connection
- · Contains approx. 60% butane, 36% isobutane, 2% propane
- 18ml



HOT DEVIL TRADE MAP TWIN TURBO TORCH KIT

HD033

INCLUDES:

1 x twin turbo torch head, 1 x trade map gas cylinder

FEATURES

- · Auto ignition
- Super turbo flame
- · Single or dual flame operation
- Burner tube swivels 360°
- · Solid brass assembly
- · Burns up to 25% hotter
- · CGA600 thread

IDEAL FOR

- Silver soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/ bolts/screws
- Brazing copper/mild steel/ aluminium
- · Heat shrink
- · General heating applications



HOT DEVIL TRADE MAP FEATURES GAS VALUE 3 PACK

HDTP

- · Trade Map gas
- · Burn temp 2050°C
- · Disposable cylinder
- · CGA600 thread
- · Contains propylene (100%)
- · Contains 3 Trade Map gas cylinders



HOT DEVIL BUTANE GAS 4 PK - BAYONET FITTING

HD200C

FEATURES

- · Butane gas, purified 11 times
- · Burn temp 1350°C
- · Disposable cylinder
- · Bayonet connection
- · Contains approx. 60% butane, 36% isobutane, 2% propane
- · 220gm

HOT DEVIL



HOT DEVIL PROPANE TORCH KIT W/HAND SPARKER

HDPTK

INCLUDES:

1 x solid brass torch head, 1 x hand sparker, 1 x propane gas cylinder

FEATURES

- Manual ignition
- · Portable/lightweight
- Solid brass burner tube
- · Burn temp 1898°C
- Anti flare feature
- · Adjustable gas flow
- · CGA600 thread
- · Powered by propane

IDEAL FOR

- Soldering
- · Thawing frozen pipes/locks
- Loosening rusted nuts/
- bolts/screws

 Brazing copper/mild steel/
- aluminium
 Heat shrink
- Automotive & heat applications



HOT DEVIL BUTANE GAS TORCH

HD988

FEATURES

- · Auto ignition
- · Anti-flare feature
- Safety lock
- · Torch temp. 1350°C
- · Adjustable gas flow

IDEAL FOR

- · Soldering
- Heat shrink
- Loosening rusted nuts/ bolts/screws
- Strip paint

* Not recommended to run the torch for more than 10 minutes at a time.



HOT DEVIL MICRO TORCH COUNTER DISPLAY (10 UNITS) H08CD

FEATURES

- · Auto ignition
- Safety lock
- · Adjustable flame
- · Refillable with butane gas
- · Assorted colours

IDEAL FOR

- · Heat shrink
- Soldering
- Candles
- Outdoors
- · Pilot lights



HOT DEVIL GENERAL PURPOSE BRAZING RODS 5 PK

HDCPR

FEATURES

- · Composition: 93% Copper, 7% Phosphorus
- Melting temp: 712°C 820°C
- · Solidus temp: 704.2°C
- · Liquidus temp: 781.8°C
- · Tensile strength: 197Mpa

IDEAL FOR

- Joining copper pipes, electrical wires and flexible tubing.
- Working Temp. 732°C -843°C



HOT DEVIL
PROFESSIONAL
TORCH WITH
SWIVEL HEAD
HDSTK

FEATURES

- \cdot Auto ignition
- · Stainless steel burner tube
- · Solid brass torch head
- Burner tube swivels 360° (when ignited)
- Swirl flame action transfers heat up to 40% faster
- Burn temp 2050°C
- · CGA600 thread

IDEAL FOR

- Hard to reach jobs
- Silver soldering
- Loosening rusted nuts/ bolts/screws
- Brazing copper/mild steel/ aluminium
- Heat shrink

HOT DEVIL



HOT DEVIL BLOW TORCH HDUT

FEATURES

- · Auto ignition
- · Large ergonomic grip
- · Adjustable flame
- Refillable with butane gas
- · Burn temp. 1350°C

IDEAL FOR

- · Plumbing repairs
- Wood graining
- · Loosening rusted nuts/
- bolts/screws
- Strip paint

* Burn time 30 minutes+. Refillable with Purified (5X) Butane Gas, supplied empty



HOT DEVIL BRASS TORCH HEAD RHPTK

IDEAL FOR

- Soldering & brazing
- Loosening rusted nuts/ bolts/screws
- · Removing paint or putty
- · Lighting wood fires and heat beads



HOT DEVIL WEEDKILLER WAND HDWK

FEATURES

- Auto ignition
- · Burn temp 1350°C
- · 650mm burner tube
- · Lightweight/portable
- Adjustable gas flow
- · Kills weeds without using poison
- · Bayonet fitting

IDEAL FOR

- Weeding rockeries, paving, pathways & concrete driveways
- Use in wet or dry conditions
- Lighting BBQ's, firepits, wood heaters and much



HOT DEVIL SUPER WEEDKILLER & HEAT WAND / BBQ STARTER HD8936B

FEATURES

- · Auto ignition
- Burn temp 1898°C
- · 850mm burner tube
- · Lightweight/portable
- · Adjustable gas flow
- · Kills weeds without using poison
- · CGA600 thread

IDEAL FOR

- · Weeding rockeries, paving, pathways & concrete driveways
- Use in wet or dry conditions
- Lighting BBQ's, firepits, wood heaters and much more



HOT DEVIL SUPER FLAME TRADE MAP TURBO TORCH HD600

FEATURES

- · Automatic ignition
- Continuous burn lock button
- · Inbuilt anti-flare feature
- · Large stainless steel
- · & brass burner tube assembly
- · Burn temperature 2050°
- Swirl flame for faster heat transfer
- · Solid metal construction
- · On/Off switch lock function



HOT DEVIL MINI GAS BLOW TORCH

HD3200

FEATURES

- · Auto ignition
- 1350°C burn temp
- · Refillable with purified butane gas
- · Safety cap

IDEAL FOR

- Soldering
- Heat shrink
- · Loosening rusted nuts/bolts/
- · Strip paint
- **Not recommended to run the torch for more than 10 minutes at a time**



HOT DEVIL BOOMBOX FEATURES **WIRELESS SPEAKER**

HDBOOMBOX

- · Bluetooth connection
- · Stereo sound quality
- · 60W high quality audio
- · 3.5mm audio cable
- USB play
- TF card
- · 3 internal speakers
- · Shoulder strap

